


EP HENRY®



HARDSCAPING COLLECTIONS
SOURCEBOOK



We never could've anticipated how much our patio would enhance our lives. Our family can all be together, relaxing and enjoying the outdoors.

As the owner of a family business, I take great pride in the impact that our products have on people's lives. Our mission is to bring friends and families together through amazing outdoor living spaces. Every year we seek to push the limits of what's possible to help people like you achieve that dream, and this year we've pushed harder than ever.

I'm excited to announce the addition of ColorTech™ to our most popular products. If you turn the page you'll see more details on why we're so thrilled about this industry-leading innovation, which enhances color and provides unprecedented protection for your investment. In addition, we've built on the success of our exclusive Cast Stone Walls with a new Cast Stone Collection. Our new Belmont Pavers and Cast Stone Caps replicate the beautiful colors and textures found in natural stone to create the perfect pairing for our Cast Stone Walls.

As you page through this catalog, you'll find more information about these products and the full line of EP Henry products. I'm especially proud of our newest offerings this year and hope that you'll be just as proud to add them to your home.

From my family to yours,

JC Henry
J.C. Henry III



ColorTech™

2019 Innovations

Turn the page and learn about the latest in next level durability and more.

NEW COLORTECH™ INNOVATION




Resists staining from food spills



Reduces fading from UV rays


Improves protection from acid rain


Enhanced Color. Advanced Protection.™



Bristol Stone Pewter Blend 16
with ColorTech



Bristol Stone Smooth Tucson
with ColorTech




Chiseled Stone Phoenix
with ColorTech

If you're looking for exceptional colors and next level durability, you're looking for **ColorTech by EP Henry**.
More details on pages 41.

EP HENRY®

NEW CAST STONE COLLECTION

Belmont Pavers with ColorTech p.52



Santa Barbara:
New Cast Stone Wall
Color for 2019
p.119



Cast Stone Caps p.82




TABLE OF CONTENTS

INSPIRATION	02	ECO™ Collection		Cast Veneer Stone	
Galleries		ECO™ BRISTOL STONE®	66	CAST VENEER STONE OPTIONS	98
WALLS	02	ECO™ COBBLE®	67	IMPERIAL	100
PATIOS	08	ECO™ PAVER	68	RITTENHOUSE™ PAVER	100
POOL DECKS	14	TURF PAVER	69	MARQUIS WALL™	101
WALKWAYS & STEPS	20	MONOSLAB	69	FINISHING TOUCHES	102
DRIVEWAYS	26	WALLS	72	BULLNOSE	102
PERMEABLE INSTALLATIONS	30	Cast Stone Wall Collection		BORDERS	103
CAST VENEER STONE INSTALLATIONS	34	SINGLE SIDED CAST STONE WALL	75	CAPS	104
Buyer's Guide		DOUBLE SIDED CAST STONE WALL	77	EDGES	108
EP HENRY – A HISTORY OF INNOVATION	38	CAST STONE GARDEN WALL	78	STEPS	109
SOLIDIA: A BETTER CEMENT FOR A BETTER PLANET	40	CAST STONE FIRE PIT KITS	79	KITS	110
COLORTECH™ INNOVATION	41	CAST STONE FACE SHELLS	81	Fire Pit Kits	
COLORTECH™ - YOU BE THE JUDGE	42	CAST STONE WALL CAPS	82	CAST STONE WALL SQUARE FIRE PIT KIT	110
THE EP HENRY PAVER ADVANTAGE	43	Garden Wall Collection		CAST STONE WALL ROUND FIRE PIT KIT	110
PAVERS	44	COVENTRY® GARDEN WALL	83	COVENTRY® FIRE PIT KIT	111
Premiere Paver Collection		ENGLISH GARDEN WALL	83	GRAND FIRE RING KIT	111
BRISTOL STONE® WITH COLORTECH™	46	Mid-Height Wall Collection		Fireplace Kits	
BRISTOL STONE® SMOOTH WITH COLORTECH™	48	COVENTRY® WALL	85	GRAND FIREPLACE KIT	112
CHISELED STONE™ WITH COLORTECH™	50	COVENTRY® WALL III	86	COMPACT FIREPLACE KIT	112
BELMONT WITH COLORTECH™	52	TUDOR WALL	87	ISOKERN FIREPLACES	113
LAстра 20MM PORCELAIN TILES	54	TERRACE WALL™	88	Outdoor Kitchen Collection	
Classic Paver Collection		Retaining Wall Collection		ISOPANEL MODULAR KITCHENS	114
BRICK STONE	57	DIAMOND PRO™	92	ISO'VEN WOOD BURNING PIZZA OVEN	115
DANBURY® SMOOTH PLANK	58	VERTICA™	93	NECESSORIES™ OUTDOOR KITCHEN KITS	116
FORMA™ STONE	59	MESA®	94	MORE	118
OLD TOWNE COBBLE®	60	VERTI-BLOCK®	95	COLOR PALETTE	118
Aged Paver Collection		Free-Standing Wall Collection		ACCESSORIES	138
COVENTRY® STONE I	62	DOUBLE SIDED COVENTRY® WALL	96	WHERE TO SEE AND BUY PRODUCTS	140
COVENTRY® BRICK STONE	63	DOUBLE SIDED TUDOR WALL	97	WARRANTY DETAILS	143
SOCIETY HILL BRICK STONE™	64			NEXT STEPS	144

SYMBOL KEY



ECO PERMEABLE PAVERS

With our eco-friendly paving solutions, you can be sustainable and have a beautiful project.



DO NOT USE FOR VEHICULAR APPLICATIONS

It is not recommended to use these pavers for residential driveways.



DO NOT USE COMPACTOR

Do not use a plate compactor on Cast Stone or Lastra products.



DON'T SCUFF THE PAVERS

EP Henry recommends the use of a protective pad between the plate compactor and the paving stones to prevent surface damage during installation. EP Henry will not be held responsible for compaction scuffs or burns on pavers.

COLOR DISCLAIMER

Photographic reproduction, print and online screen resolutions do not always present color precisely. For these reasons and to ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.



Double Sided Cast Stone Wall Breckenridge; Bristol Stone® I and II Tucson, Random Installation; Old Towne Cobble Charcoal border



Terrace Wall Harvest Blend



3" Coventry® Wall Harvest Blend




Single Sided Cast Stone Wall Birch; 16" Double Sided Cast Stone Caps Bluestone

Wall Gallery




Single Sided Cast Stone Wall Adirondack;
Bullnose Caps Pewter Blend 16

It complements the house and was the most natural veneer we had seen.



All Photos On These Pages:
Single Sided Cast Stone Wall and Cast Stone Wall
Face Shells Aspen; Single Sided 14" Cast Stone Caps
and Stair Tread Bluestone







Double and Single Sided Cast Stone Wall Aspen; 16" Double Sided Cast Stone Caps Limestone



3" and 6" Double Sided Coventry Wall Dakota Blend



Double Sided Cast Stone Wall and Cast Stone Wall Face Shells Aspen;
16" Double Sided Cast Stone Caps Bluestone; Bristol Stone I and II Tucson, Random Installation;
Old Towne Cobble Charcoal with Forma Sand Triple border




Lastra Sunrock Travertine, 3 piece modular




Lastra AXI Brown Chestnut

Patio Gallery

Bristol Stone I and II Sedona, Random Installation; Double Sided Cast Stone Wall Breckenridge









“ Having a beautiful patio that fits our family puts a smile on our faces every time we step outside.”



Chiseled Stone™ I with ColorTech Slate Green with Old Towne Cobble Border Charcoal; Isokern Fireplace with double wood boxes; Cast Stone Wall Face Shells Breckenridge



Belmont with ColorTech Bluestone



Bristol Stone Smooth I and II Sedona, Random Installation

Bristol Stone I and II with ColorTech Pewter Blend 16, Random Installation;
Cast Veneer Stone Ledgestone Silverton





Chiseled Stone II with ColorTech Slate Green, Random Installation




Bullnose Charcoal



Pool Deck Gallery





Bristol Stone I and II Avalon Blend, Random Installation



I just love to entertain friends and family in such a beautiful and relaxing setting.

All Photos On These Pages:
Chiseled Stone I and II Sonoran with ColorTech,
Random Installation; 6 x 9 Chiseled Stone Charcoal border





Bristol Stone Smooth I and II with ColorTech Tucson, Random Installation




Bristol Stone II with ColorTech Sedona, Random Installation; Forma Sand double border



Bristol Stone I Phoenix, Random Installation; Old Towne Cobble 6" x 6" Dakota Blend border; Bullnose Dakota Blend; Cast Stone Wall Breckenridge





Chilton Chiseled Steps Bluestone; Chiseled Stone I and II Pewter Blend 16, Random Installation; Forma Stone Charcoal border; Single Sided Cast Stone Wall Aspen; 16" Double Sided Cast Stone Caps Bluestone


Walkway & Steps Gallery



Bristol Stone I Phoenix, Random Installation; Old Towne Cobble 6" x 6" Dakota Blend border




Brick Stone Harvest Blend 16, Basketweave pattern; Brick Stone Pewter Blend 16 border



Bullnose Pewter Blend 16; Single Sided Cast Stone Wall Adirondack; Bristol Stone Smooth III Pewter Blend 16, Running Bond pattern



Society Hill Brick Stone™ Chalfont Gray, 90° Herringbone Pattern; Coventry Brick Stone Autumn Blend 16



Cast Stone Stair Tread Bluestone; Cast Veneer Stone Ledgestone Birch, Dry Stack


Cast Stone Cap Brownstone; Cast Stone Wall Face Shells Breckenridge;
Chiseled Stone I with ColorTech Slate Green, Random Installation with Old Towne Cobble 6" x 9" Brown border



Bristol Stone I with ColorTech Golden Maple, Random Installation; Chiseled Stone Goldenrod and Forma Charcoal double border




Mesa Dakota Blend; Bristol Stone I Sonoran; Forma Limestone, Old Towne Cobble 6x9 Charcoal double border



Bristol Stone I Phoenix, Random Installation; Forma Stone Brown and Sand double border





An aerial photograph of a two-story house with a large driveway. The driveway is paved with light-colored stone tiles. A family of four is playing with a beach ball on the driveway. A dark blue sedan is parked on the right side of the driveway. The house has a gabled roof and two white garage doors. A white fence surrounds the property, and there are trees and a lawn in the background.

EP Henry stands behind their products.
We will enjoy driving up to our home
for many years to come.



Bristol Stone 3 1/8" with ColorTech Golden Maple, Random Installation;
Chiseled Stone Goldenrod and Forma Stone Charcoal double border

Driveway Gallery




Old Towne Cobble Dakota Blend, Running Bond Pattern with 6" x 9" Pewter Blend 16 border

Bristol Stone 3 1/8" with ColorTech Phoenix, Random Installation; Forma Stone Charcoal and 6 x 9 Chiseled Stone Sand double border





Society Hill Brick Stone Penbrook Brown, Running Bond Pattern



Coventry® Stone | Pewter Blend 16, "I" Pattern



ECO™ Paver Pewter Blend 16; Old Towne Cobble Pewter Blend 16 double border



ECO™ Bristol Stone® with Solidia Tucson, Random Installation

Permeable Gallery




ECO Cobble Pewter Blend 16, Random Installation; Coventry Brick Stone Dakota Blend border; Double Sided Coventry Wall Dakota Blend

Turf Paver



ECO Cobble 6" x 6" and 6" x 9" Pewter Blend 16, Random Installation;
Forma Charcoal double border




ECO Cobble 6" x 6" and 6" x 9" Harvest Blend 16, "I" Pattern



6" x 6" and 6" x 9" ECO Cobble Dakota Blend, Running Bond Pattern




A photograph of a patio area featuring grey cobblestone tiles. In the foreground, there is a wooden table with two glasses of green liquid and a wooden chair with a yellow cushion. The background shows a house with white columns and a dark hedge.

“Once the contractor suggested ECO Cobble we knew instantly it would make a difference. Even after a heavy rain, water is nowhere to be found on our patio surface. We just love it.”



Cast Stone Wall Face Shells Birch




Cast Veneer Stone Gallery

Cast Veneer Stone EZ Fit Adirondack



Cast Veneer Stone River Rock Potomac



Cast Stone Wall Face Shells Aspen



Cast Veneer Stone LedgeStone Breckenridge, Mortared



Cast Veneer Stone Cut Stone Breckenridge



EP HENRY – A HISTORY OF INNOVATION

Important information to use in your decision-making process

What's in a Name?

There are two distinct manufacturing methods for producing pavers: face-mix and through-body. To face-mix or through-body – that is the question.

For 30 years, EP Henry pavers have been produced using the face-mix method. One of the first to do this in the US and the first in the Mid-Atlantic states, we coined the term Duraface® to brand our process. This two-step manufacturing process concentrates an enriched layer of cement, pigment and very hard, small aggregate on the top layer of the paver, which we refer to as the wear surface. In contrast to a through-body paver, our Duraface® paver is richer in color and has a smoother, more durable wear surface. In our 30-year history of Duraface®, we have never had a paver where the face-mix layer has worn through and our lifetime warranty backs it up.

What's the difference?



EP Henry Duraface®



Cambridge with ArmorTec®*

Don't be Fooled by a Name

Face-mix pavers require more complex manufacturing equipment and a higher level of production sophistication. As a result of our industry-leading success, other manufacturers have migrated from producing a through-body paver to a face-mix.

The face-mix manufacturing process is more sophisticated and results in a more durable paver that doesn't show large stone on the surface.

As they say, "imitation is the greatest form of flattery." Most manufacturers who now produce a face-mix paver created their own branded name for it. While the name itself is touted as "exclusive," the production method is not. So when you hear a claim that they are the only one with "ArmorTec®" or "Paver-shield," what they are telling you is that they're the only manufacturer with that name for the face-mix process, not the only manufacturer using it.

Blending Capabilities

Five years ago we raised the bar in the industry by investing in the most sophisticated system in the world to produce blended pavers. The Colorist system uses proprietary German technology to produce up to 6-color blends with pinpoint accuracy. Prior to the Colorist system, the batching of colors was managed by the individual paver machine operator and was as much an art form as a science, and prone to variation. In the field, the contractor would then have to take extra care to create the proper dispersion of colors. Colorist is unequalled in its sophisticated blends and consistent blending capabilities.

The Colorist system takes the guesswork out of blending color because the "color recipe" is programmed into the computer that runs the equipment and provides a consistent blend of color within every paver.

ArmorTec® is a registered trademark of Cambridge Pavers, Inc. All references throughout this catalog to Cambridge with ArmorTec are to paving stone products manufactured by Cambridge Pavers, Inc. EP Henry Corporation and Cambridge Pavers, Inc. are competitors and, therefore, EP Henry Corporation is not affiliated or associated in any way with Cambridge Pavers, Inc.

Colorist Comparison



Without Colorist



With Colorist

Advancements in Paver Sealing

Traditional topical sealers were developed to make pavers more resistant to staining. Many homeowners opt to seal their pavers because it makes them easier to care for. Outdoor kitchens, driveways, and heavily wooded areas (where leaf stains are an issue) are good candidates for adding a sealer. Applied after installation, a topical sealing process involves applying a coating to the top layer of the pavers. Sealing properly can be challenging, as the application is dependent on favorable weather conditions and skilled technicians. It may take several days or more to complete, and it carries a considerable price tag - several dollars per square foot. A typical sealer may offer protection for 1-3 years.



Bristol Stone with ColorTech Sedona

ColorTech™ by EP Henry

ColorTech™ by EP Henry is the newest advancement in paver treatment. An integral sealer, as opposed to a topical treatment, ColorTech costs substantially less and lasts much longer than a topical sealer application. ColorTech is factory-applied and is cured into the concrete, providing the pavers with an enriched depth of color while protecting them for a lifetime of use.

ColorTech™ protects your paver investment by resisting stains, acid rain and UV rays.

It's shown to reduce primary efflorescence and is more resistant to de-icing salts than pavers without ColorTech. ColorTech now comes as a standard feature in our best-selling Premiere Collection of Bristol Stone and Chiseled Stone pavers as well as in our new Cast Stone Paving and Wall Caps use. See the ColorTech difference for yourself!

Innovation Continued on page 40 →

SOLIDIA: A BETTER CEMENT FOR A BETTER PLANET

Our reputation as the leader in the industry has led to some significant partnerships in new product and technology development. Our most recent – and perhaps most exciting – partnership is with Solidia Technologies, a next generation cement backed by a number of the most prominent and respected venture capital firms. Solidia selected EP Henry as its partner to introduce hardscaping products to the marketplace based upon our proven track record. Solidia offers many benefits compared to traditional cement-based products, including enhanced color vibrancy, near-elimination of primary efflorescence, and much greater resistance to de-icing salts. Perhaps most important is Solidia's unparalleled sustainability profile. **By reducing the carbon footprint of concrete by up to 70%**, Solidia Cement goes a long way to meeting the cement industry goal of reducing its carbon emissions by 20% by 2020. Solidia is simply "a better cement for a better planet."

In 2019 we will offer a select number of our products with Solidia Cement, including our ECO™ Bristol Stone® on p. 66.



Tucson ECO Bristol Stone with Solidia, Random Installation

"As the trusted leader in concrete, renowned for driving both market and product innovation, EP Henry was our first choice as the global launch partner for Solidia Cement. With their unmatched market knowledge and deep expertise in product and service innovation, they have helped us make a better concrete that is not only good for customers, but for the planet at large. We are so grateful that EP Henry has helped us make sustainability smart business for cement and concrete."

– Tom Schuler, President and CEO, Solidia Technologies



Double Sided Cast Stone Wall Aspen

The Cast Stone Wall Collection: Unrivalled Beauty to Complement your Paver Selection

EP Henry Cast Stone Wall is the best-selling premium wall system in the industry. Closely replicating the look of natural stone, it has been specially designed to pair with our Premiere Paver Collection. Cast Stone Wall is the marriage of two technologies patented by, and exclusively available from, EP Henry. Explore the limitless design possibilities and add dimension to any outdoor living space with the premium look of natural stone.

See the range of sizes, styles and colors on p. 75-82.

Seeing is Believing

EP Henry is more than a manufacturer – we are a visionary technology company with a broad patent portfolio, including six for Cast Stone Wall alone. When considering what product to use for your project, be sure to compare actual product samples – we're confident you'll choose EP Henry.

EP HENRY®

COLORTECH™ NEXT-LEVEL DURABILITY



Resists staining



Reduces fading from UV rays



Improves protection from acid rain

Enhanced Color. Advanced Protection.™

EP Henry's exclusive ColorTech™ process creates a look that's a cut above natural stone. ColorTech™ is a factory applied integral sealer that unlocks the natural beauty of pavers while adding a layer of protection that's resistant to most common stains, erosion from acid rain, and fading from UV rays. The result is long-lasting color that enhances the appearance of your backyard today and protects your investment for tomorrow.

ColorTech™ Protection Comparison

Same amount of red wine spilled



Cambridge paver with ArmorTec®




EP Henry paver with ColorTech™

For more information visit ephenry.com/colortech

COLORTECH™ - YOU BE THE JUDGE

EP Henry ColorTech



**If you're looking for exceptional colors that last,
you're looking for ColorTech.**

ColorTech uses the latest advancements in paver technology to deliver rich colors that mimic shades found in natural stone with more consistency and better cohesion. This proprietary, in-line sealing technology delivers an added layer of protection while enhancing the durability of the stone.

Only EP Henry Provides: DuraFACING + Colorist + ColorTech

EP HENRY®

THE EP HENRY PAVER ADVANTAGE



EP Henry Duraface® + Colorist + ColorTech™



Cambridge with ArmorTec®



Techo-Bloc®* through-body


Sure, you can buy a paver from another manufacturer. But what it won't come with is the superior blending that our Colorist System provides. Nor will it come with ColorTech, our in-line factory-applied sealer that enhances the color and protects for a lifetime of use.



Chiseled Stone with ColorTech Sonoran, Random Installation



Bristol Stone Smooth I and II with ColorTech Tucson, Random Installation; Bullnose Charcoal



Premiere Paver Collection

Bristol Stone I and II with ColorTech Sedona, Random Installation; Old Towne Cobble Charcoal border; Double Sided Cast Stone Wall and Cast Stone Wall Face Shells Breckenridge




LEARN MORE ABOUT COLORTECH™
See page 41 for more information.



BRISTOL STONE® with ColorTech™

Bristol Stone I and II with ColorTech Pewter Blend 16, Random Installation; Cast Veneer Stone Ledgestone Silverton



Avalon Blend



Golden Dakota



Golden Maple ‡



Harvest Blend 16 ‡



Pewter Blend 16 ‡



Phoenix*



Sedona*



Sonoran*



Tucson*

ENLARGED SWATCHES ON PAGES 120-121

‡ AVAILABLE IN 3 1/8"

* PREMIUM COLOR

 These units are 2 3/8" thick and are not suitable for vehicular use.

 These units are 3 1/8" thick and are suitable for vehicular use. See notation for available colors.



A



B



C



D



E



F



H



I



J

CUBE 1	A	B	C
SIZE (WxL)	7 3/4" x 7 3/4"	7 3/4" x 11 3/4"	11 3/4" x 11 3/4"
PCS PER CUBE	40	80	40
SQ FT PER CUBE	107		
LBS PER CUBE	3,150		

CUBE 2	D	E	F
SIZE (WxL)	11 3/4" x 15 5/8"	15 5/8" x 15 5/8"	15 5/8" x 19 5/8"
PCS PER CUBE	20	20	20
SQ FT PER CUBE	102		
LBS PER CUBE	2,900		

CUBE 1: 3 1/8"	H	I	J
SIZE (WxL)	7 3/4" x 7 3/4"	7 3/4" x 11 3/4"	11 3/4" x 11 3/4"
PCS PER CUBE	32	64	32
SQ FT PER CUBE	85.6		
LBS PER CUBE	3,161		




G

CUBE 3	G
SIZE (WxL)	15 5/8" x 23 5/8"
PCS PER CUBE	40
SF PER CUBE	102.8
LBS PER CUBE	2,856




LEARN MORE ABOUT COLORTECH™
See page 41 for more information.



BRISTOL STONE® SMOOTH with ColorTech™



Bristol Stone Smooth I with ColorTech Phoenix, Random Installation




Avalon Blend † Golden Dakota Golden Maple Pewter Blend 16 † Phoenix * Sedona* Sonoran* † Tucson*

ENLARGED SWATCHES ON PAGES 122–125

† AVAILABLE IN 16" X 24"

* PREMIUM COLOR

All units are 2 3/8" thick.




CUBE 1	A	B	C
SIZE (WxL)	7 3/4" x 7 3/4"	7 3/4" x 11 3/4"	11 3/4" x 11 3/4"
PCS PER CUBE	40	80	40
SF PER CUBE	107		
LBS PER CUBE	3,150		

CUBE 2	D	E	F
SIZE (WxL)	11 3/4" x 15 5/8"	15 5/8" x 15 5/8"	15 5/8" x 19 5/8"
PCS PER CUBE	20	20	20
SF PER CUBE	102		
LBS PER CUBE	2,900		

6X9 BORDER**	G
SIZE (WxL)	6 1/4" x 9 7/16"
PCS PER SF	2.4
SF PER CUBE	124
PCS PER CUBE	300
SF PER BAND	25
LBS PER CUBE	3,331

CUBE 3	H
SIZE (WxL)	15 5/8" x 23 5/8"
PCS PER CUBE	40
SF PER CUBE	102.8
LBS PER CUBE	2,856



**Available in Brown, Charcoal, Goldenrod, Pewter Blend 16, and Sonoran only.



LEARN MORE ABOUT COLORTECH™
See page 41-42 for more information.



CHISELED STONE™ with ColorTech™



Chiseled Stone II with ColorTech Phoenix, Random Installation; Double Sided Cast Stone Wall Birch



Avalon Blend † Brown † Goldenrod † Pearl Stone Pewter Blend 16 Sedona Slate Green Slate Blue Sonoran Phoenix Tucson

† ONLY AVAILABLE FOR CUBE 3 (6X9)

AVAILABLE IN ALL SIZES

ENLARGED SWATCHES ON PAGES 126-128

 Not suitable for vehicular use.

 For vehicular use.

All units are 2 3/8" thick.



A



B



C



D



E



F



G

CUBE 1	A	B	C
SIZE (WxL)	7 3/4" x 7 3/4"	7 3/4" x 11 3/4"	11 3/4" x 11 3/4"
PCS PER CUBE	40	80	40
SQ FT PER CUBE	107		
LBS PER CUBE	3,150		

CUBE 2	D	E	F
SIZE (WxL)	11 3/4" x 15 5/8"	15 5/8" x 15 5/8"	15 5/8" x 19 5/8"
PCS PER CUBE	20	20	20
SQ FT PER CUBE	102		
LBS PER CUBE	2,900		

G (6X9)	
SIZE (WxL)	6 1/4" x 9 7/16"
PCS PER CUBE	300
SQ FT PER CUBE	124
LBS PER CUBE	3,377



H

CUBE 3	H
SIZE (WxL)	15 5/8" x 23 5/8"
PCS PER CUBE	40
SF PER CUBE	102.8
LBS PER CUBE	2,856



LEARN MORE ABOUT COLORTECH™
See page 41-42 for more information.




NEW BELMONT with ColorTech™



Belmont with ColorTech Bluestone; Cast Stone Wall and Cast Stone Wall Face Shells Breckenridge

COLOR DISCLAIMER


Because EP Henry Pavers are made from natural materials, variations in shade can be expected. To ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.



Bluestone

ENLARGED SWATCHES ON PAGES 129

All units are 1½" thick.



NOTES

- EP Henry offers a "Patio on a Pallet" in Bluestone (100 SF includes all 6 sizes)
- Circle & Square-Off Kits only available in Bluestone
- Each Circle Pallet makes a nominal 9' diameter circle
- One Square-Off Kit extends the circle to a nominal 10'x10' area

	A	B	C	D	E	F	CIRCLE	SQUARE OFF
SIZE (WxL)	12" x 12"	12" x 18"	12" x 24"	18" x 18"	18" x 24"	24" x 24"	—	—
SF PER PIECE	1	1.5	2	2.3	3	4	—	—
SF PER CUBE	88	132	176	99	132	176	64	72 (2 KITS)
PCS PER CUBE	96	88	88	44	44	44	28	32
LBS PER SF	19	19	19	19	19	19	19	19
LBS PER CUBE	1,824	2,558	3,394	1,931	2,558	3,394	1,266	1,418




Do not use a plate compactor on Belmont products



LASTRA 20mm PORCELAIN TILES



Etic Pro/Wood Planks Rovere Venice



AXI
Brown Chestnut

AXI
Gray Timber

NEW
BRAVE
Gray

NEW
BRAVE
Gypsum

NEW
BRAVE
Pearl

NEW
ETIC PRO/
WOOD PLANKS
Noce Hickory

NEW
ETIC PRO/
WOOD PLANKS
Rovere Venice

MARVEL PRO
Statuario Select

NEW
SUNROCK*
Rapolano Beige

NEW
SUNROCK*
Travertine

ENLARGED SWATCHES ON PAGE 130-131

COLOR DISCLAIMER

By the nature of the manufacturing process, Lastra Porcelain Tiles tend to have a much wider range of colors in some styles than typically found in pavers. Please visit your EP Henry Authorized Hardscaping Distributor® to view samples and obtain color swatches depicting more range.

All units are 3/4" thick.

AXI, BRAVE, MARVEL PRO

SIZE (WxL)	23 ⁵ / ₈ " x 23 ⁵ / ₈ "
SF PER PIECE	4
SF PER CUBE	240
PCS PER CUBE	60
LBS PER PIECE	36.4
LBS PER CUBE	2,184

SUNROCK 3 PIECE MODULAR*

	A	B	C
SIZE (WxL)	11 ³ / ₄ " x 11 ³ / ₄ "	11 ³ / ₄ " x 23 ⁵ / ₈ "	23 ⁵ / ₈ " x 23 ⁵ / ₈ "
SF PER PIECE	1	2	4
SF PER CUBE	38	77	155
PCS PER CUBE	40	40	40
LBS PER PIECE	9.4	17.9	36.4
LBS PER CUBE		2,548	

ETIC PRO/ WOOD PLANKS

SIZE (WxL)	11 ³ / ₄ " x 47 ¹ / ₄ "
SF PER PIECE	4
SF PER CUBE	123
PCS PER CUBE	32
LBS PER PIECE	36.2
LBS PER CUBE	1,160

*Only SUNROCK Travertine and SUNROCK Rapolano Beige sold in a 3 piece modular pattern

 Do not use a plate compactor on Lastra products




Brick Stone Harvest Blend 16, 90° Herringbone Pattern



Danbury Smooth Plank Pewter Blend, Running Bond Pattern

Classic Paver Collection



Old Towne Cobble Brown, Forma Sand border;
Double Sided Cast Stone Wall;
Cast Stone Wall Round Fire Pit Kit Birch

BRICK STONE

Brick Stone Harvest Blend 16, Basketweave Pattern



Autumn Blend 16



Brown



Charcoal



Dakota Bend



Harvest Blend 16



Pewter Blend 16

COLOR DISCLAIMER

Because EP Henry Pavers are made from natural materials, variations in shade can be expected. To ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.




This unit is 2 3/8" thick.

Available in 3/8" thickness by special order.

SIZE (WxL)	3 15/16" x 7 7/8"
PCS PER SF	4.5
SF PER CUBE	120
PCS PER CUBE	540
SF PER BAND	20
LBS PER CUBE	3,207

DANBURY® SMOOTH PLANK



Danbury Smooth Plank Pewter Blend, 45° Herringbone Pattern



Pewter Blend 16



This unit is 3/8" thick.

SIZE (WxL)	4" x 12"
SF PER CUBE	83
PCS PER CUBE	256
LBS PER SF	35
LBS PER CUBE	2,905

COLOR DISCLAIMER

Because EP Henry Pavers are made from natural materials, variations in shade can be expected. To ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.

ENLARGED SWATCH ON PAGE 135



FORMA™ STONE



Forma Stone Brown and Sand double border;
Bristol Stone® I Phoenix, Random Installation



Brown



Charcoal



Sand

ENLARGED SWATCHES ON PAGE 134

All units are
2 3/8" thick.



A

B

C

D

SIZE (WxL)	5 1/2" x 6 1/4"	5 1/2" x 7 7/8"	5 1/2" x 9 3/8"	5 1/2" x 11"
SF PER CUBE			106	
PCS PER CUBE			320	
LBS PER CUBE			2,780	



OLD TOWNE COBBLE®



Old Towne Cobble Avalon Blend, Random Installation; Double Sided Cast Stone Wall Breckenridge; Custom Cast Stone Wall Fire Pit Breckenridge; Chapeau 16 Brownstone Caps



Autumn Blend 16



Avalon Blend



Brown*



Charcoal



Dakota Blend



Harvest Blend 16



Pewter Blend 16

ENLARGED SWATCHES ON PAGE 133

* AVAILABLE IN 6" x 9" ONLY

All units are
2 $\frac{3}{8}$ " thick.



A



B



C



D



E

CIRCLE	A	B	C	D	E
SIZE (WxL)	3 $\frac{1}{16}$ " x 6 $\frac{1}{4}$ "	3 $\frac{1}{16}$ " x 6 $\frac{1}{4}$ "	4 $\frac{11}{16}$ " x 6 $\frac{1}{4}$ "	5 $\frac{3}{8}$ " x 6 $\frac{1}{4}$ "	7 $\frac{3}{8}$ " x 6 $\frac{1}{4}$ "
SF PER CUBE	86				
LBS PER CUBE	2,388				



SQUARES



RECTANGLES

	SQUARES	RECTANGLES
SIZE (WxL)	6 $\frac{1}{4}$ " x 6 $\frac{1}{4}$ "	6 $\frac{1}{4}$ " x 9 $\frac{7}{16}$ "
PCS PER SF	3.7	2.4
SF PER CUBE	113	124
PCS PER CUBE	420	300
SF PER BAND	16	25
LBS PER CUBE	3,198	3,479

NOTES

- Circle Pallets available in Autumn Blend 16, Charcoal, Dakota Blend, Harvest Blend 16, and Pewter Blend 16
- 6" x 9" and 6" x 6" available in 3 $\frac{3}{8}$ " thickness by special order





Coventry Stone | Dakota Blend, Random Installation

Aged Paver Collection




Society Hill Brick Stone Colonial Red, 45° Herringbone Pattern

COVENTRY® STONE I



Coventry Stone I Harvest Blend 16, "1" pattern



Autumn Blend 16

Brown*

Charcoal

Dakota Blend

Harvest Blend 16

Pewter Blend 16

*AVAILABLE IN 6" x 9" ONLY

ENLARGED SWATCHES ON PAGE 132

All units are
2³/₈" thick.



CIRCLE

A

B

C

D

E

SIZE (WxL)	3 ¹ / ₁₆ " x 6 ¹ / ₄ "	3 ¹ / ₁₆ " x 6 ¹ / ₄ "	4 ¹ / ₁₆ " x 6 ¹ / ₄ "	5 ³ / ₈ " x 6 ¹ / ₄ "	7 ³ / ₈ " x 6 ¹ / ₄ "
SF PER CUBE	86				
LBS PER CUBE	2,371				

SQUARES


RECTANGLES

SIZE (WxL)	6 ¹ / ₄ " x 6 ¹ / ₄ "	6 ¹ / ₄ " x 9 ⁷ / ₁₆ "
PCS PER SF	3.7	2.4
SF PER CUBE	113	124
PCS PER CUBE	420	300
SF PER BAND	16	25
LBS PER CUBE	3,139	3,331

NOTES

- Circle Pallets available in Autumn Blend 16, Charcoal, Dakota Blend, Harvest Blend 16 and Pewter Blend 16.
- 6" x 9" and 6" x 6" available in 3³/₈" thickness by special order.

COVENTRY® BRICK STONE



Coventry Brick Stone Harvest Blend 16 and Pewter Blend 16, 90° Herringbone Pattern



Autumn Blend 16

Charcoal

Dakota Blend

Haddon Blend

Harvest Blend 16

Pewter Blend 16

Strasburg Red

COLOR DISCLAIMER

Because EP Henry Pavers are made from natural materials, variations in shade can be expected. To ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.

SIZE (WxL)	3 ¹⁵ / ₁₆ " x 7 ⁷ / ₈ "
PCS PER SF	4.5
SF PER CUBE	120
PCS PER CUBE	540
SF PER BAND	20
LBS PER CUBE	3,145



This unit is 2³/₈" thick.

SOCIETY HILL BRICK STONE™



Society Hill Brick Stone Penbrook Brown, Running Bond Pattern



Chalfont Gray



Colonial Red



Penbrook Brown



This unit is
2 3/8" thick.

NOTE


Due to its ridges and textured surface, Society Hill Brick Stone is more prone than a smooth surface paver to be affected by polyhaze. Please be sure to adhere to the polymeric sand manufacturer's installation instructions. EP Henry recommends the use of HP NextGel polymeric joint sand (see p. 138).

SIZE (WxL)	4 1/16" x 8 1/8"
PCS PER SF	4.3
SF PER CUBE	105
PCS PER CUBE	450
LBS PER CUBE	2,760

ENLARGED SWATCHES ON PAGE 135




ECO Cobble Pewter Blend 16, Random Installation;
ECO Paver Harvest Blend 16, Running Bond Pattern



ECO Cobble 6" x 9" Harvest Blend 16, "I" Pattern

ECO™ Collection



ECO Paver Pewter Blend 16, Running Bond Pattern;
ECO Paver Harvest Blend 16 border

ECO™ BRISTOL STONE® with Solidia **NEW**



ECO Bristol Stone with Solidia Tucson, Random Installation



Golden Dakota



Pewter Blend 16



Tucson

To learn more about our new Solidia pavers, visit page 40.

All units are 3/8" thick.*



A



B



C

CUBE 1	A	B	C
SIZE (WxL)	7¾" x 7¾"	7¾" x 11¾"	11¾" x 11¾"
PCS PER CUBE	32	64	32
SQ FT PER CUBE	85.6		
LBS PER CUBE	2,996		





ECO Cobble Pewter Blend 16, Herringbone Pattern

Permeable Interlocking Paving Systems (PICP's)

- Allow rainwater to recharge into the soil
- Qualify as a Best Management Practice (BMP) for stormwater management.
- Earn points towards LEED® certification.


EP Henry recommends consulting a professional engineer for permeable pavement applications.



Dakota Blend



Harvest Blend 16



Pewter Blend 16

COLOR DISCLAIMER

Because EP Henry Pavers are made from natural materials, variations in shade can be expected. To ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.

	A	B
SIZE (WxL)	6¼" x 6¼"	6¼" x 97/16"
PCS PER SF	3.7	2.4
SF PER CUBE	94.5	102
PCS PER CUBE	350	250
SF PER BAND	13.5	20.4
LBS PER CUBE	2,500	2,800



A



B

All units are 2¾" thick.*

*Available in 3½" thickness by special order



ECO™ PAVER



ECO Paver Pewter Blend 16, Running Bond Pattern



Autumn Blend 16



Harvest Blend 16



Pewter Blend 16

This unit is 3/8" thick.



SIZE (WxL)	6 3/4" x 9 1/8"
PCS PER SF	2.3
SF PER CUBE	86
PCS PER CUBE	200
LBS PER SF	34
SF PER BAND	17.2
LBS PER CUBE	2,950

Also available in an SRI compliant color for LEED credit by special order.



TURF PAVER




This unit is 3 7/8" thick.

NOTE:

Turf Paver units should be spaced 1/8" apart, installed with core marks up and are not recommended for vehicular traffic. For frequently traveled vehicular areas, ECO™ Cobble® and ECO™ Pavers are the recommended permeable pavement solutions.

EP Henry recommends consulting a Professional Engineer for commercial applications.

SIZE (WxL)	15 3/4" x 23 7/16"
PCS PER SF	.4
SF PER CUBE	73
PCS PER CUBE	28
LBS PER CUBE	1,678
LBS PER PIECE	60
% OPEN AREA	40



MONOSLAB



This unit is 4 9/16" thick.

SIZE (WxL)	15 5/8" x 23 1/2"
PCS PER SF	.4
SF PER CUBE	112
PCS PER CUBE	42
LBS PER CUBE	4,219
LBS PER PIECE	101
% OPEN AREA	14

NOTE

A minimum of 8" of compacted aggregate base is recommended for emergency fire lanes as defined by AASHTO, H20, and HS20. Thicker bases may be required for heavy loading or poor subgrade conditions.



Cast Stone Wall Face Shells and Single Sided Cast Stone Wall Breckenridge;
14" Double Sided Cast Stone Cap Bluestone; Belmont with ColorTech Bluestone, Random Installation





Double Sided and Single Sided Cast Stone Wall Breckenridge;
Bristol Stone Smooth I and II Avalon Blend




Double Sided Cast Stone Wall, Round Cast Stone Wall Fire Pit Kit, Cast Stone Wall
Face Shells Aspen; 16" Double Sided Cast Stone Caps Bluestone

Cast Stone Wall Collection




Double Sided and Single Sided Cast Stone Wall Adirondack; 14" Double Sided Cast Stone Caps Bluestone



EP Henry's Cast Stone Wall complemented our home seamlessly. They understood our vision and had products for each element we wanted to create.



Double Sided Cast Stone Wall Breckenridge;
16" Double Sided Cast Stone Caps Bluestone



Single Sided Cast Stone Wall Adirondack;
16" Cast Stone Caps Bluestone;
Belmont with ColorTech Bluestone

CAST STONE WALL


Walls are a wonderful way to add beauty and dimension to any outdoor living space. EP Henry's patented Cast Stone Wall Collection truly replicates the beauty of natural stone. While it has a premium look, our Cast Stone Walls are typically much more affordable than natural stone walls. If you're looking to add the look of natural stone to your property, no other wall product on the market comes closer.



SINGLE SIDED CAST STONE WALL



Single Sided Cast Stone Wall Aspen, Double Sided Cast Stone Caps Limestone



Adirondack



Aspen



Birch



Breckenridge



Santa Barbara*

ENLARGED SWATCHES ON PAGE 119. SEE PAGE 81 FOR CAST STONE WALL FACE SHELLS. *AVAILABLE FULL FACE ONLY

NOTES

- Maximum unreinforced wall height is 30" under ideal conditions. Geogrid must be used in walls above 30".
- Minimum inside radius = 22" (from back of block)
- Use Terrace Wall stretcher block for footer course
- Depth will vary due to the random thickness of the face shell
- Cube weight may vary +/- 3 lbs
- 1.5 units = 1 sf of wall face

Single Sided Cast Stone Wall comes in 2 cube configurations: Single Sided Cast Stone Wall Full Face contains all straight 6x16 faces and Single Sided Cast Stone Wall Random Face contains a mix of random joint faces. You can mix the two cubes to achieve additional appearances.

All units are 6" high.



STRETCHER



CORNER

REDUCED QTY. PALLET*


	STRETCHER	REDUCED QTY. PALLET*	CORNER
SIZE (LxD)	16" x 12"	16" x 12"	16" x 8"
SF PER CUBE	40	24	16
PCS PER CUBE	60	36	24
LBS PER PIECE	50	50	34
LBS PER CUBE	3,000	1,800	850

*Reduced Quantity Pallet available in Full Face or Random Face



DOUBLE SIDED CAST STONE WALL

Double Sided Cast Stone Wall and Round Fire Pit Kit Birch; 16" Cast Stone Caps Bluestone



Adirondack



Aspen



Birch



Breckenridge



Santa Barbara*

NEW

Double Sided Cast Stone Wall is available in Random Face (all sizes) and Full Face (Reduced Qty Pallet only) and is intended for double sided wall applications only.

ENLARGED SWATCHES ON PAGE 119. SEE PAGE 81 FOR CAST STONE WALL FACE SHELLS. *AVAILABLE FULL FACE ONLY

All units are 6" high.



A + B = 2-Piece Corner Unit



This unit is 4" high.



D/S CAST STONE WALL	A	B	C	RANDOM FACE REDUCED QTY. PALLET	FULL FACE REDUCED QTY. PALLET
SIZE (LxD)	6" x 7"±	10" x 7"±	16" x 7"±	16" x 7"±	16" x 7"±
SF PER CUBE	9		30	15	15
PCS PER CUBE	27	27	90	45	45
LBS PER PIECE	12	22	39	39	40
LBS PER CUBE	932		3,444	1,728	1,800

A & B Stretchers sold together in one cube.

± Depth will vary due to the random thickness of the shell.

D/S CAST STONE WALL CORNER	A	B
SIZE (LxD)	8" x 8"	16" x 6"
PCS PER CUBE	24	24
LBS PER CUBE	1,544	

A & B Corner sold together in one cube.

DOUBLE SIDED CAST STONE WALL FOOTER BLOCK	
SIZE (LxD)	11 ⁵ / ₈ " x 15 ⁵ / ₈ "
PCS PER CU	72
LF PER CUBE	93.8
LBS PER PC	56
LBS PER CUBE	4,032


NOTES

- 6" unit = .25 sf 10" unit = .42 sf
- Maximum unreinforced wall height for free-standing walls is 24"

NEW CAST STONE GARDEN WALL



Cast Stone Garden Wall Aspen; Cast Stone Garden Wall Cap with ColorTech Bluestone



Adirondack



Aspen



Birch



Breckenridge



NEW
Santa Barbara*

ENLARGED SWATCHES ON PAGE 119. SEE PAGE 81 FOR CAST STONE WALL FACE SHELLS. *AVAILABLE FULL FACE ONLY

Cast Stone Garden Wall is available in Random Face (all sizes) and Full Face (Reduced Qty Pallet only)

All units are 6" high.



This unit is 2" high.



CAST STONE GARDEN WALL	A	B	C	RANDOM FACE REDUCED QTY. PALLET	FULL FACE REDUCED QTY. PALLET
SIZE (LxD)	6" x 7"±	10" x 7"±	16" x 7"±	16" x 7"±	16" x 7"±
SF PER CUBE	9		30	15	15
PCS PER CUBE	27	27	90	45	45
LBS PER PIECE	12	22	39	39	40
LBS PER CUBE	932		3,444	1,728	1,800

┌──────────┐
A & B Stretchers sold together in one cube.

± Depth will vary due to the random thickness of the shell.

GARDEN WALL CAP	
SIZE (LxD)	18" X 9 1/2" (nominal)
PCS PER CUBE	60
LF PER CUBE	90
LBS PER PIECE	30
LBS PER CUBE	1,800


NOTES

- 6" unit = .25 sf 10" unit = .42 sf
- Maximum unreinforced wall height for free-standing walls is 24"

CAST STONE WALL FIRE PIT KITS



Cast Stone Wall Square Fire Pit Kit Breckenridge



Cast Stone Wall Round Fire Pit Kit Adirondack



Adirondack



Aspen



Birch



Breckenridge

SQUARE FIRE PIT KIT

UNITS	-
LBS PER PC	-
PCS PER CUBE	36 block + 4 caps
LBS PER CUBE	1,780

20" high including cap
50" x 50" outside diameter

FIRE PIT KIT INCLUDES

- Wall blocks
- Caps
- 1 steel insert (black)
- Stainless steel flange collar
- 1 grate

ROUND FIRE PIT KIT

UNITS	-
LBS PER PC	-
PCS PER CUBE	54 block + 4 caps
LBS PER CUBE	1,126

FIRE PIT KIT INCLUDES


- Wall blocks
- Caps
- 34" diameter copper bowl
- 36" diameter grate for wood burning
- 24" diameter grate for cooking
- Poker
- Retractable metal mesh dome
- Installation guide

20" high including cap
48" outside diameter
30 1/2" inside diameter

NOTE: Blocks are not fire-rated. Do not burn fires without protective bowl or other fire-rated insert. Do not overfill the bowl. Firewood should be contained within the closed spark screen.




CAST STONE WALL FACE SHELLS



Cast Stone Wall Face Shells Aspen;
Bristol Stone I and II Tucson

Cast Stone Wall Face Shells are crafted to seamlessly blend with our Cast Stone Wall Collection and can be used on kitchens, fireplaces, custom fire pits, house facades and more.



Adirondack



Aspen



Birch



Breckenridge



Santa Barbara*

*AVAILABLE FULL FACE ONLY

All units are
6" high.



**RANDOM
FACE SHELLS
STRETCHER**



**FULL
FACE SHELLS
STRETCHER**



**RANDOM
FACE SHELLS
CORNER**

	16" x 1"	16" x 1"	12" x 1" (WITH 4" RETURN)
SIZE	16" x 1"	16" x 1"	12" x 1" (WITH 4" RETURN)
SF PER HANDY PACK	12	12	8 LF
PCS PER HANDY PACK	18	18	—
LBS PER PIECE	6.6	8	—
LBS PER HANDY PACK	119*	144	110*

*Cube weight may vary +/- 3 lbs.

NOTE

Face Shells available in Full and Random Face.
Corners available in Random Face only.


NEW

CAST STONE CAPS with ColorTech™


Note: These products will be available with ColorTech beginning Spring 2019



16" Cast Stone Caps Bluestone (shown with ColorTech); Single Sided Cast Stone Wall Birch



Bluestone



Brownstone



Limestone

These units are 2" high.



16" DOUBLE SIDED CAP

	CAP	END CAP
SIZE (LxD)	24 1/4" / 21 1/4" x 16"	20" / 18 1/4" x 16"
PCS PER CUBE	32	16
LF PER CUBE	60	25.5
LBS PER PIECE	56	53
LBS PER CUBE	1,810	850


This unit is 2" high.



14" DOUBLE SIDED CAP

SIZE (LxD)	36" x 14"
PCS PER CUBE	18
LF PER CUBE	54
LBS PER PIECE	80
LBS PER CUBE	1,450

This unit is 3" high.



PIER CAPS

SIZE (LxD)	28" x 28"	26" x 26"
PCS PER CUBE	4	4
LBS PER PIECE	175	150
LBS PER CUBE	700	600

Garden Wall Collection

COVENTRY GARDEN WALL



Coventry Garden Wall Harvest Blend

ENGLISH GARDEN WALL



English Garden Wall Harvest Blend



Autumn Blend

Dakota Bend

Harvest Blend



Autumn Blend

Gray

Harvest Blend

All units
are 4" high.



RECTANGULAR

TAPERED

SIZE (LxD)	11 ⁵ / ₈ " x 8"	11 ⁵ / ₈ / 9" x 8"
LBS PER PIECE	29	25
LBS PER CUBE	3,468	3,046
PCS PER SF	3	3
SF PER CUBE	40	40
PCS PER CUBE	120	120

FORMULAS/NOTES

- 3 pieces = 1 SF of wall face
- Minimum inside radius = 22" (from back of block)
- Maximum wall height = 20" (5 courses) under ideal conditions
- This wall system is not designed to build 90° corners

All units
are 4" high.



RECTANGULAR

TAPERED

SIZE (LxD)	11 ⁵ / ₈ " x 8"	11 ⁵ / ₈ / 9" x 8"
LBS PER PIECE	29	26
LBS PER CUBE	3,518	3,129
PCS PER SF	3	3
SF PER CUBE	40	40
PCS PER CUBE	120	120

FORMULAS/NOTES

- 3 pieces = 1 SF of wall face
- Minimum inside radius = 22" (from back of block)
- Maximum wall height = 20" (5 courses) under ideal conditions
- This wall system is not designed to build 90° corners
- This product is designed for planter and garden wall applications only



3" Coventry Wall Pewter Blend



3" and 6" Coventry Wall Pewter Blend;
Bristol Stone I and II Tucson, Random Installation

Mid-Height Wall Collection



Terrace Wall Harvest Blend

COVENTRY® WALL



3" and 6" Coventry Wall Dakota Blend



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

SEE PAGE 107 FOR CAP OPTIONS.

Units shown: 3" high
Available in 6" height



PALLET WITH 5 LENGTHS

	A	B	C	D	E
SIZE (LxD)	4" x 8"	6" x 8"	10" x 8"	12" x 8"	16" x 8"
SF PER CUBE	50				
LBS PER CUBE	6" = 4,172		3" = 4,285		

COVENTRY CORNERS

	3"	6"
SIZE (LxD)	14" x 8"	14" x 8"
PCS PER SF	3.5	1.7
SF PER CUBE	43.5	44
PCS PER CUBE	150	75
LBS PER PIECE	26	51
LBS PER CUBE	3,942	3,829



This unit is 6" high.

This unit is 3" high.



16" STRETCHER PALLET*

	3"	6"
SIZE (LxD)	16" x 8"	16" x 8"
PCS PER SF	3	1.5
SF PER CUBE	50	50
PCS PER CUBE	150	75
LBS PER PIECE	30	57
LBS PER CUBE	4,567	4,308

*16" Stretcher Pallet consists of all solid stretchers. No pins used in this cube.

This unit is 6" high.




BASE BLOCK

SIZE (LxD)	18/17" X 10"
PCS PER CUBE	45
LF PER CUBE	67.5
LBS PER CUBE	3,870

FORMULAS/NOTES

- Pin calculator: (# of non-cap courses) - (one) x (linear feet of wall)
- Minimum inside radius = 48" (from back of block)
- Maximum unreinforced wall height is 20". Geogrid is required above this height
- The Base Block facilitates installation and provides structural stability
- Coventry Wall also available in a free-standing wall system (see p.96)

COVENTRY® WALL III



Coventry Wall III Pewter Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 136. SEE PAGE 107 FOR CAP OPTIONS.

Units shown: 6" high.
Also Available in 3" height.



6" OR 3" HIGH CUBE	A	B	C
SIZE (LxD)	8/6" x 10"	10/8" x 10"	16/14" x 10"
SF PER CUBE	32		
PCS PER CUBE	3" = 144	6" = 72	
LBS PER CUBE	3" = 3,336	6" = 3,223	

NOTES

- Maximum unreinforced wall height is 24" for retaining wall applications and 33" for free-standing walls
- Coventry Wall III comes with splittable units to create corners: One 16" unit per layer is solid with no channels.
- Two pins/block needed (except under cap)
- For Coventry Wall III, the tightest radius possible using only the 10" and 6" long units is 33.5". Using all sizes, the tightest possible radius is 48" to the back of the block

This unit
is 6" high.



CORNERS	3"	6"
SIZE (LxD)	16" x 10"	16" x 10"
PCS PER SF	3	1.5
SF PER CUBE	40	40
PCS PER CUBE	120	60
LBS PER PIECE	38	74
LBS PER CUBE	4,516	4,426

This unit
is 6" high.



BASE BLOCK	
SIZE (LxD)	18/17" X 10"
PCS PER CUBE	45
LF PER CUBE	67.5
LBS PER CUBE	3,870

CAN BE USED IN SINGLE SIDED OR DOUBLE SIDED WALL APPLICATIONS

TUDOR WALL



Tudor Wall Harvest Blend



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 137. SEE PAGE 107 FOR CAP OPTIONS.

Units shown: 3" high
Available in 6" height



PALLET WITH 5 LENGTHS	A	B	C	D	E
SIZE (LxD)	4" x 8"	6" x 8"	10" x 8"	12" x 8"	16" x 8"
SF PER CUBE	50				
LBS PER CUBE	3" = 4,285		6" = 4,172		

This unit is 6" high.



CORNERS	3"	6"
SIZE (LxD)	14" x 8"	14" x 8"
PCS PER SF	3.45	1.71
SF PER CUBE	43.5	44
PCS PER CUBE	150	75
LBS PER PIECE	26	51
LBS PER CUBE	3,942	3,829

NOTES

- Pin calculator: (# of non-cap courses) - (one) x (linear feet of wall)
- Minimum inside radius = 48" (from back of block)
- Maximum unreinforced wall height is 20". Geogrid is required above this height
- The Base Block facilitates installation and provides structural stability
- Tudor Wall also available in a free-standing wall system (see p.97)

16" STRETCHER PALLET*	3"	6"
SIZE (LxD)	16" x 8"	16" x 8"
PCS PER SF	3	1.5
SF PER CUBE	50	50
PCS PER CUBE	150	75
LBS PER PIECE	31	57
LBS PER CUBE	4,567	4,308

*16" Stretcher Pallet consists of all solid stretchers. No pins used in this cube.

This unit is 6" high.



BASE BLOCK	
SIZE (LxD)	18/17" X 10"
PCS PER CUBE	45
LF PER CUBE	67.5
LBS PER CUBE	3,870




Are you fighting an uphill battle?

EP Henry's line of retaining walls, including our popular Terrace Wall, will help you re-imagine life at home. With the help of their contractor, these homeowners reclaimed over 1000 square feet of unused sloping land to create the backyard oasis of their dreams.



TERRACE WALL™



Terrace Wall Pewter Blend



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 137. SEE PAGE 107 FOR CAP OPTIONS.

FORMULAS/NOTES

- 1.5 pieces = 1 sf of wall face
- Minimum inside radius = 22" (from back of block)
- Maximum unreinforced wall height = 30" under ideal conditions
- Geogrid must be used for walls above 30"

Many of EP Henry's products are created using a blend of several fine pigments and it is normal to find a range of color(s) most predominant from unit to unit. For best dispersion and to achieve a natural range of the colors throughout your project, be sure to draw from multiple cubes as you install.

These units are 6" high.



TERRACE WALL	STRETCHER	CORNER
SIZE (LxD)	16" x 12"	16" x 8"
PCS PER SF	1.5	1.5
SF PER CUBE	48	72
PCS PER CUBE	72	108
LBS PER PIECE	51	45
LBS PER CUBE	3,665	4,838



Diamond Pro Harvest Blend




Vertica Pewter Blend




Retaining Wall Collection

Mesa Dakota Blend



DIAMOND PRO™



Diamond Pro Dakota Blend



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 137. SEE PAGE 107 FOR CAP OPTIONS.

These units
are 8" high




STRETCHER

CORNER

FORMULAS/NOTES

- 1 piece = 1 sf of wall face
- Minimum inside radius = 48" (from back of block)
- Maximum unreinforced, exposed wall height is 32" (4 courses) under ideal conditions
- Geogrid must be used in walls over 32" high.
- For walls over 48" high, EP Henry recommends that you consult a Professional Engineer

SIZE (LxD)	18" x 11½"	18" x 9"
PCS PER SF	1	1
SF PER CUBE	48	60
PCS PER CUBE	48	60
LBS PER PIECE	80	84
LBS PER CUBE	3,840	5,010



Vertica Pewter Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 137. SEE PAGE 107 FOR CAP OPTIONS.

FORMULAS/NOTES

- 1 piece = 1 sf of wall face
- Minimum inside radius = 69" (from back of block)
- Maximum unreinforced, exposed wall height is 32" (4 courses) under ideal conditions
- Geogrid must be used in walls over 32" high
- For walls over 48" high, EP Henry recommends that you consult a Professional Engineer

Vertica is also available in 12" D unit with 4° batter by special order

Available in Stone Cut Finish by special order.

2° batter

These units are 8" high





STRETCHER

CORNER

SIZE (LxD)	18" x 11"	18" x 9"
PCS PER SF	1	1
SF PER CUBE	48	60
PCS PER CUBE	48	60
LBS PER PIECE	82	84
LBS PER CUBE	3,936	5,010

Mesa Dakota Blend; Bristol Stone I Sonoran;
Forma Limestone and Old Towne Cobble 6x9 Charcoal double border



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 137. SEE PAGE 107 FOR CAP OPTIONS.

These units are 8" high.



STRETCHER



CORNER

	18" x 11"	18" x 9"
SIZE (LxD)	18" x 11"	18" x 9"
PCS PER SF	1	1
SF PER CUBE	48	60
PCS PER CUBE	48	60
LBS PER PIECE	80	84
LBS PER CUBE	3,861	5,010

FORMULAS/NOTES

- 1 piece = 1 sf of wall face
- Minimum inside radius = 55" (measured from back of block)
- Maximum unreinforced, exposed wall height is 32" (4 courses) under ideal conditions
- Mesa Geogrid must be used in walls over 32" high
- For walls over 48" high, EP Henry recommends that you consult a Professional Engineer
- Two connectors/block needed (except under cap)

NEW VERTI-BLOCK



These oversized, hollow pre-cast blocks are ideal for a variety of landscaping projects, including gravity walls up to 14' high.* Verti-Block can be stained on-site to integrate into existing landscape or hardscape applications.

*Additional heights can be reached using reinforcement

STANDARD BLOCK

SIZE (LxD)	48" x 36"
LBS PER PIECE	1,760
PIECES PER CUBE	1
SF PER PIECE	8



All units are 24" high

Free-Standing Wall Collection

DOUBLE SIDED COVENTRY® WALL



3" & 6" Double Sided Coventry Wall Dakota Blend; ECO Cobble Pewter Blend 16



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 136.

SEE PAGE 107 FOR CAP OPTIONS.

Units shown: 3" high.
Also available in 6" height.



6" OR 3" CUBE	A	B	C	D	E
SIZE (LxD)	4" x 10"	7 ³ / ₄ / 5 ³ / ₄ " x 10"	9 ³ / ₄ / 7 ³ / ₄ " x 10"	11 ³ / ₄ / 9 ³ / ₄ " x 10"	16 / 14" x 10"
SF PER CUBE	40				
LBS PER CUBE	3" = 4,457		6" = 4,288		

FORMULAS/NOTES

- Pin calculator: (# of non-cap courses) – (one) x (linear feet of wall)
- Minimum inside radius = 42" (from back of block)
- Maximum height for Double Sided Coventry Wall in free-standing applications without engineering assistance is 33" including cap. Seek a Professional Engineer if a taller wall is required

* The Base Block facilitates installation and provides structural stability



Unit shown: 6" high
Also available in 3" height.

This unit is
6" high.



BASE BLOCK*

SIZE (LxD)	18 / 17" x 10"
PCS PER CUBE	45
LF PER CUBE	67.5
LBS PER CUBE	3,870

CORNER

	3"	6"
SIZE (LxD)	16" x 10"	16" x 10"
PCS PER SF	3	1.5
SF PER CUBE	40	40
PCS PER CUBE	120	60
LBS PER PIECE	38	74
LBS PER CUBE	4,516	4,426

DOUBLE SIDED TUDOR WALL



6" Double Sided Tudor Wall Dakota Blend; Bullnose Charcoal; 26 x 26 Cast Stone Caps Bluestone



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 137. SEE PAGE 107 FOR CAP OPTIONS.

Units shown: 3" high
Also available in 6" height.

3"OR 6" CUBE



A

B

C

D

E

SIZE (LxD)	4" x 10"	7 ³ / ₄ /5 ³ / ₄ " x 10"	9 ³ / ₄ /7 ³ / ₄ " x 10"	11 ³ / ₄ /9 ³ / ₄ " x 10"	16/14" x 10"
SF PER CUBE			40		
LBS PER CUBE		3" = 4,457	6" = 4,288		

This unit is
6" high.



BASE BLOCK*

SIZE (LxD)	18/17" x 10"
PCS PER CUBE	45
LF PER CUBE	67.5
LBS PER CUBE	3,870



Units shown: 6" high
Available in 3" height.

CORNER

	3"	6"
SIZE (LxD)	16" x 10"	16" x 10"
PCS PER SF	3	1.5
SF PER CUBE	40	40
PCS PER CUBE	120	60
LBS PER PIECE	38	74
LBS PER CUBE	4,590	4,440

FORMULAS/NOTES

- Pin calculator: (# of non-cap courses) – (one) x (linear feet of wall)
- Minimum inside radius = 42" (from back of block)
- Maximum height for Double Sided Tudor Wall in free-standing applications without engineering assistance is 33" including cap. Seek a Professional Engineer if a taller wall is required

* The Base Block facilitates installation and provides structural stability.

CAST VENEER STONE



CAST VENEER STONE OPTIONS

NEW

SPEC MIX® Polymer Modified Adhered Veneer Masonry Mortar

SPEC MIX PMAVM is a technologically advanced adhered veneer mortar for use in bonding manufactured stone veneer, natural thin cut stone and thin brick to a cementitious substrate. PMAVM is designed to provide excellent workability and cohesion, high bond strength and durability, sag and water resistance and efflorescence minimization.

SPEC MIX PMAVM has been rigorously tested to reduce the probability of unit “pop-offs” and contractor call-backs to repair adhered veneer failures common with standard mortars.

EP Henry recommends installation methods and guidelines from the Masonry Veneer Manufacturers Association.

CAST STONE WALL FACE SHELLS*



Adirondack



Aspen



Birch



Breckenridge




NEW

Santa Barbara

PENNSYLVANIA FIELD STONE



Adirondack



Aspen



Breckenridge



Mesa Verde



Silverton

LEDGESTONE



Adirondack




Aspen



Birch




Breckenridge



Durango



Mesa Verde



Silverton

CUT STONE



Adirondack



Breckenridge



Champagne



Mesa Verde



Silverton



Tahoe

EZ FIT



Adirondack



Buckeye



Mesa Verde

SPLIT ROCK



Breckenridge



Mesa Verde

BRICK



Chestnut Hill



Federal Hill




Fenwick



Fenwick & Federal Hill
(Combination)

RIVER ROCK



Potomac

Imperial Collection


RITTENHOUSE™



Rittenhouse Sandy Beach, Random Installation;
Coventry Curbstone Harvest Blend. Also shown: Cast Veneer Brick Fenwick

MARQUIS™ WALL

Marquis Wall Chestnut; Bristol Stone 3 1/8" Golden Maple, Random Installation



Rittenhouse, Marquis Wall & More


The Imperial Collection offers a truly exceptional value. Imperial Pavers and Walls are manufactured with the same EP Henry quality standards and lifetime warranty you'll find in all our products, and are available in a range of the most popular colors and profiles in our industry. Pick up a copy of the Imperial Catalog at your local distributor – or visit us online – to explore the full range of striking, cost-effective choices Imperial offers for your next hardscaping project.



For more information visit ephenry.com/imperial

Finishing Touches


BULLNOSE



Bullnose Pavers Charcoal



Autumn Blend 16



Brown*



Charcoal



Dakota Blend



Harvest Blend 16



Pewter Blend 16


All units are
2 3/8" thick



BULLNOSE

SIZE (WxL)	6" x 12 1/2"
PCS PER SF	2
SF PER CUBE	87
PCS PER CUBE	168
SF PER BAND	29
LBS PER CUBE	2,305


BORDERS



Forma Stone Sand and Old Towne Cobble Charcoal, Sailor/Soldier border




6 X 9 Chiseled Stone Avalon Blend and Forma Stone Charcoal Sailor/Soldier border with Bristol Stone Golden Dakota



Forma Stone Charcoal and Sand double border with Bristol Stone I Blue Spruce*



Forma Stone Brown and Sand double border with Bristol Stone I Phoenix



Bullnose Pewter Blend 16 with Forma Charcoal border

*Blue Spruce available by special order only.

NEW CAST STONE CAPS with ColorTech™


Note: These products will be available with ColorTech beginning Spring 2019

14" DOUBLE SIDED CAST STONE CAP




14" Double Sided Cast Stone Cap with ColorTech Bluestone; Cast Stone Wall Aspen


16" DOUBLE SIDED CAST STONE CAP



16" Double Sided Cast Stone Cap with ColorTech Limestone Single Sided Cast Stone Wall Aspen



Bluestone



Brownstone



Limestone

AVAILABLE COLOR SELECTION FOR ALL CAST STONE CAPS

This unit is 2" high.



14" DOUBLE SIDED

SIZE (LxD)	36" x 14"
PCS PER CUBE	18
LBS PER PIECE	80
LF PER CUBE	54
LBS PER CUBE	1,450

All units are 2" high.



16" DOUBLE SIDED

	CAP	END CAP
SIZE (LxD)	24¼/21¼" x 16"	20/18¼" x 16"
PCS PER CUBE	30	16
LBS PER PIECE	56	53
LF PER CUBE	57	25.5
LBS PER CUBE	1,680	850

Note: These products will be available with ColorTech beginning Spring 2019

NEW CAST STONE CAPS with ColorTech™



28 x 28 Cast Stone Pier Cap with ColorTech Brownstone; Imperial Double Faced Wall Dakota Blend

CAST STONE PIER CAPS

This unit is 3" high.



28" x 28" PIER CAP

SIZE (LxD)	28" x 28"
PCS PER CUBE	4
LBS PER PIECE	175
LBS PER CUBE	700

This unit is 3" high.



26" x 26" PIER CAP

SIZE (LxD)	26" x 26"
PCS PER CUBE	4
LBS PER PIECE	150
LBS PER CUBE	600

CAST STONE GARDEN WALL CAP

This unit is 2" high.



GARDEN WALL CAP

SIZE (LxD)	18" X 9 1/2" (nominal)
PCS PER CUBE	60
LF PER CUBE	90
LBS PER PIECE	30
LBS PER CUBE	1,800



Cast Stone Garden Wall Cap with ColorTech Bluestone with Cast Stone Wall Aspen



Cast Stone Stair Tread with ColorTech Bluestone

CAST STONE STAIR TREAD/CAP

This unit is 2" high



CAST STONE STAIR TREAD/CAP

SIZE (LxD)	52" x 13" (nominal)
PCS PER CUBE	18
LF PER CUBE	78
LBS PER PIECE	104
LBS PER CUBE	1,872

CHAPEAU CAPS

CHAPEAU 14



Chapeau 14 Cap Bluestone

CHAPEAU 16



Chapeau 16 Cap Double Sided Phoenix



Bluestone



Brownstone



Phoenix

All units are 3" high.



CHAPEAU 14	A	B (one straight end)
SIZE (LxD)	24/22" x 14"	24/23" x 14"
LF PER CUBE	54	
PCS PER CUBE	28 (21, A UNITS; 7, B UNITS)	
LBS PER CUBE	2,270	

All units are 2 3/8" high.



CHAPEAU 16 DOUBLE SIDED	A	B	C	D (one straight end)
SIZE (LxD)	12/10" x 16"	16/14" x 16"	20/18" x 16"	20/19" x 16"
LF PER CUBE	53			
PCS PER CUBE	42 (14/EA A&B UNITS; 7/EA C&D UNITS)			
LBS PER CUBE	1,870			

SPLIT & AGED CAPS



Coventry Wall with Coventry Universal Cap Harvest Blend

AGED COVENTRY/SPLIT RECTANGULAR & UNIVERSAL

SPLIT COLORS



Autumn Blend



Charcoal*



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGES 137.

Swatches depicted represent color offerings for caps. Please refer to appropriate wall system pages for colors available in each system. Relevant wall systems are on pages 87-97.


AGED COLORS



Autumn Blend



Charcoal*



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGES 136.

* Available in caps only.

All units are 4" high



DIAMOND PRO/MESA

	VERTICA	DIAMOND PRO/MESA
SIZE (LxD)	18" x 11½"	18" x 12"
PCS PER SF	2	2
LF PER CUBE	108	90
PCS PER CUBE	72	60
LBS PER PIECE	65	72
LBS PER CUBE	4,680	4,317

All units are 3" high



COVENTRY RECTANGULAR UNIVERSAL

	RECTANGULAR	UNIVERSAL
SIZE (LxD)	16" x 12"	16/14" x 11⅝"
PCS PER SF	3	3.2
LF PER CUBE	128	120*
PCS PER CUBE	96	96
LBS PER PIECE	47	45
LBS PER CUBE	4,491	4,280

All units are 3" high



SPLIT RECTANGULAR UNIVERSAL


	RECTANGULAR	UNIVERSAL
SIZE (LxD)	16" x 12"	16/14" x 11⅝"
PCS PER SF	3	3.2
LF PER CUBE	128	120*
PCS PER CUBE	96	96
LBS PER PIECE	47	44
LBS PER CUBE	4,555	4,177

* using 15" average

EDGES

NEW NATURAL STONE CAPS

Cloudy Black



Autumn Brown

Cloudy Black

Ochre Yellow

COVENTRY® CURBSTONE



Pewter Blend

COVENTRY® EDGESTONE



Harvest Blend



Autumn Blend

Dakota Blend

Harvest Blend

Pewter Blend

All units are 2" high



PIER CAPS

WALL CAPS

	PIER CAPS	WALL CAPS
SIZE (WxL)	28" X 28"	24" X 17"
SF PER PIECE	5.4	2.8
SF PER CUBE	21.6	44.8
PCS PER CUBE	4	16
LBS PER PIECE	138	80
LBS PER CUBE	552	1,280

This unit is 8" high



This unit is 9" high



COVENTRY®

EDGESTONE

CURBSTONE

	EDGESTONE	CURBSTONE
SIZE (WxL)	2 1/2" x 6"	3 3/4" x 8"
PCS PER CUBE	240	150
LBS PER CUBE	2,339	3,000


NOTES

Edgestone width may vary +/- 3/8" Curbstone height may vary +/- 1/2"

Note: These products will be available with ColorTech beginning Spring 2019

NEW STEPS with ColorTech™

QUARRY STEPS




Bluestone




Bluestone

CHILTON CHISELED STEPS



Brownstone

CHILTON FLAMED STEPS



Bluestone



Bluestone



Brownstone

ENLARGED SWATCHES ON PAGE 129

All units are 6" high



QUARRY	SMALL	MEDIUM	LARGE	SET OF 3
SIZE (LxD)	31" x 21"	42" x 16"	51" x 24"	—
PCS PER CUBE	3	3	2	3
LBS PER PIECE	208	208	278	—
LBS PER CUBE	625	625	555	640

All units are 6" high



*Chilton Chiseled Finish Step is available finished on 1 or 3 sides. The 1 sided is available in Bluestone only; the 3 sided is available in Bluestone and Brownstone.

CHILTON	FLAMED	CHISELED*
SIZE (LxD)	47½" x 15"	47½" X 15"
LBS PER PIECE		233
LBS PER CUBE		700
PCS PER CUBE		3

Fire Pit Kits

CAST STONE WALL SQUARE FIRE PIT KIT




Square Fire Pit Kit Adirondack

CAST STONE WALL ROUND FIRE PIT KIT



Round Fire Pit Kit Birch



Adirondack



Aspen



Birch



Breckenridge

SQUARE FIRE PIT KIT

UNITS	-
LBS PER PC	-
PCS PER CUBE	36 block + 4 caps
LBS PER CUBE	1,780

20" high including cap
50" x 50" outside diameter

FIRE PIT KIT INCLUDES

- Wall blocks
- Caps
- 1 steel insert (black)
- Stainless steel flange collar
- 1 grate

ROUND FIRE PIT KIT

UNITS	-
LBS PER PC	-
PCS PER CUBE	54 block + 4 caps
LBS PER CUBE	1,126

FIRE PIT KIT INCLUDES

- Wall blocks
- Caps
- 34" diameter copper bowl
- 36" diameter grate for wood burning
- 24" diameter grate for cooking
- Poker
- Retractable metal mesh dome
- Installation guide

20" high including cap
48" outside diameter
30 1/2" inside diameter

NOTE: Blocks are not fire-rated. Do not burn fires without protective bowl or other fire-rated insert. Do not overfill the bowl. Firewood should be contained within the closed spark screen.


COVENTRY® FIRE PIT KIT



Pewter Blend



Dakota Blend



Harvest Blend



Pewter Blend

GRAND FIRE RING KIT



Harvest Blend (shown with swivel cooking grate)



Dakota Blend



Harvest Blend



Pewter Blend

COVENTRY FIRE PIT KIT

UNITS	--
LBS PER PC	--
PCS PER CUBE	112
LBS PER CUBE	2,830

23" high including cap
48" outside diameter
30 1/2" inside diameter

FIRE PIT KIT INCLUDES

- Wall Blocks
- Caps
- 34" diameter copper bowl
- 36" diameter grate for wood burning
- 24" diameter grate for cooking
- Poker
- Retractable metal mesh dome
- Installation guide

NOTE: Blocks are not fire-rated. Do not burn fires without protective bowl or other fire-rated insert. Do not overfill the bowl. Firewood should be contained within the closed spark screen.

FIRE RING WITH GRATE GRAND

LBS PER CUBE	1,060
--------------	-------

12" high
48" outside diameter
31" inside diameter

STANDARD FEATURES

- Ready to assemble — everything's included!
- No special tools required
- Easy-to-read, step-by-step instructions
- Precut and sized to fit
- Includes VOC compliant adhesive and construction gloves
- Solid steel insert and swivel cooking grate

Fireplace Kits

GRAND FIREPLACE KIT



COMPACT FIREPLACE KIT



Dakota Blend



Harvest Blend



Pewter Blend


At more than eight feet high and up to twelve feet wide (with Wood Boxes), the Grand Fireplace is the perfect centerpiece for your outdoor living room. Its appeal comes from its large profile, universal design, and aged appearance. The Compact Fireplace is ideal for smaller backyards and patios at just over six feet high and three feet wide (without wood box).

STANDARD FEATURES

- Easy-to-read, step-by-step instructions
- Wall Blocks
- Wet cast concrete mantels and tops
- Precut and sized to fit
- Steel reinforcements
- VOC compliant adhesive
- Construction Gloves

GRAND FIREPLACE KIT

- 60" W x 36" D x 102" H
- 36" stainless steel, wood-burning insert
- 4' stainless steel stovepipe chimney
- Spark suppressor cap
- 9,667 lbs




GRAND WOOD BOX KIT*

- 40" W x 36" D x 50" H
- Available left or right side
- 4,051 lbs

GRAND HEARTH KIT*

- 60" W x 20" D x 10" H
- 699 lbs



*OPTIONAL

COMPACT FIREPLACE KIT

- 40" W x 32" D x 70" H
- Protective fire brick
- 3,960 lbs


COMPACT WOOD BOX KIT*

- 32" W x 32" D x 34" H
- Available left or right side
- 1,713 lbs

COMPACT HEARTH KIT*

- 40" W x 12" D x 6" H
- 213 lbs

*OPTIONAL



ISOKERN FIREPLACES



Magnum Isokern Fireplace; Cast Stone Wall Face Shells Breckenridge



Standard Isokern Fireplace with Cast Stone Wall Face Shells Aspen

EARTHCORE ISOKERN MODULAR FIREPLACES

For over 25 years, Earthcore's Isokern Systems have been the leader in safe, lightweight, easy to install fireplace systems and are backed by a Lifetime Warranty against manufacturer defects.

The Standard series comes in 36", 42" and 46" openings.

The Magnum series comes in 36", 42" and 48" openings.

Please visit the products section of our website for more information on Isokern Fireplaces.



Outdoor Kitchen Collection




Cast Veneer Stone Cut Stone Breckenridge, Mortared

ISOPANEL MODULAR KITCHENS

Isokern has streamlined the construction of building the classic culinary outdoor kitchen for quick assembly. Using our Isokern Panels and Clips, building a beautiful, durable and practical outdoor kitchen is easier than ever. The IsoPanels will also support the Iso'ven for added options to construction.

ISOKERN PANELS

- **Dimensions per panel:** 24" w x 34" h x 3" d
- Each panel weighs only 100 lbs, so they're easily moved when assembling your new outdoor kitchen components.



CLIPS

- **Use:** Slide the appropriate clip over the junction of 2 adjacent panels for holding them together while the mortar is applied.
- **Options:** A. Straight B. 90° C. 45° D. T clip.



ISO'VEN WOOD BURNING PIZZA OVENS



Iso' ven with Cast Veneer Stone Ledgestone Silverton



Iso' ven with Cast Veneer Stone Ledgestone Silverton

ISO'VEN & EP HENRY'S CAST VENEER STONE

There's nothing better than a real wood burning oven. Introducing the Earthcore Iso'ven Wood Burning Oven, the user-friendly, remarkably affordable outdoor wood burning pizza oven made from our exclusive volcanic material. Created for easy installation, the quick-fire Iso'ven heats up to 800 degrees in an hour. The Iso'ven Wood Burning Pizza Oven comes with everything you need to get started. Perfect for 12" pizza, bread, wings and more. Includes: Proprietary Oven Liner, Refractory Mortar, Cooking Surface, Thermometer and Starter Fire Kit.

All Isokern fireplaces, pizza ovens and modular kitchen kits can be made "personally" yours by customizing it with EP Henry's beautiful Cast Veneer Stone or Cast Stone Wall Face Shells, the closest match to real stone, at a fraction of the cost.

SEE PAGE 99 FOR CAST VENEER STONE COLOR AND STYLE OPTIONS

22" x 53" x 43"
1,100 lbs



31 1/2" x 53" x 28"
850 lbs

TABLETOP OVEN WITH OPTIONAL STORAGE SPACE

Fires strengthen the bonds between friends and family. Recognizing this, Earthcore developed the ideal companion for your Iso'ven Wood Burning Pizza Oven — our Table Top Oven with Optional Storage Base. Adding a new dimension to backyard dining, it allows you to choose the height of your Iso'ven in relation to the rest of your outdoor kitchen or living space.

OPTIONAL STORAGE:

Ample room for wood, pizza peels, aprons, cooking tools and more.

OPTIONAL HOOD:

Following the classic approach of traditional wood burning ovens, the Iso'ven is designed to vent through the front. But at Earthcore, we believe customization creates satisfaction. So if you prefer a flue, we now offer a hood for Iso'ven designs, giving you the freedom to finish it in your own personal style.

30 5/8" x 9" x 23"
90 lbs






CREATE THE PERFECT OUTDOOR KITCHEN

PRE-MEASURED-CUT-PACKAGED-KITS

The Kitchen is a series of individual cabinet kits that come complete with everything you need to build, including precut block and granite tops sized to fit, reinforcements, and more! Depending on the complexity, most kitchens can be built in a day or less. Build your kitchen all at once or add new features over time. Because of their modularity, expanding your outdoor cooking and entertaining space is easy to do at any time.



NECESSARIES™ OUTDOOR KITCHEN KITS



Dakota Blend



Harvest Blend



Pewter Blend



Viscon White



Black Pearl

WALL COLOR COLOR OPTIONS

GRANITE COUNTERTOP COLOR OPTIONS

The modular components of our Necessaries line allow you to create a custom outdoor living area to fit both your needs and your space.

1. Summerset Sizzler Grill Cabinet. 32" - 2,525 lbs or 40" - 2,880 lbs options.

(Shown with 30" Double Door)

2. Outdoor Refrigerator Cabinet - 1,025 lbs








3. Side Burner Cabinet - 1,895 lbs

4. Outdoor Oven Cabinet (Pizza Oven with Wood Box) - 1,100 lbs

5. Smoker Cabinet (Smoker not included) - 2,110 lbs

6. Prep Center Cabinet. Double Drawer and Door Combo with Trash Drawer - 2,285 lbs

7. Island Cabinet. 15" Sink and Faucet with Granite Countertops - 4,325 lbs





Bristol Stone Smooth I and II Pewter Blend, Random Installation



Bristol Stone I and II Phoenix, Random Installation;
Old Towne Cobble 6" x 9" Charcoal border; Cast Stone Caps Bluestone

Color Palette



Bristol Stone I Sonoran, Random Installation; Bullnose Charcoal

SINGLE SIDED CAST STONE WALL

PLEASE SEE PAGES 75-81 FOR COLOR AVAILABILITY BY SPECIFIC PRODUCT.



Adirondack, Full Face



Aspen, Random Face



Breckenridge, Mixed Face



Birch, Random Face

NEW




Santa Barbara*, Full Face

CAST STONE WALL

- Single Sided Cast Stone Wall p.75
- Double Sided Cast Stone Wall p.77
- Cast Stone Garden Wall p.78
- Cast Stone Wall Fire Pit Kits p.79
- Cast Stone Wall Face Shells p.81



Golden Maple



Sedona



Sonoran



Tucson



Avalon Blend



Golden Dakota



Harvest Blend 16



Pewter Blend 16



Phoenix

BRISTOL STONE

Bristol Stone p.47

Bristol Stone Smooth p.49



Avalon Blend



Golden Dakota



Golden Maple



Pewter Blend 16


BRISTOL STONE[®] SMOOTH with ColorTech[™]



BRISTOL STONE® SMOOTH

Premiere Paver Collection

WITHOUT COLORTECH™
See the difference for yourself.



Phoenix

BRISTOL STONE[®] SMOOTH with ColorTech[™]



WITH COLORTECH[™]
To learn more about ColorTech, turn to page 41

Phoenix



Pearl Stone



Pewter Blend 16



Phoenix



Sedona




Avalon Blend



Brown



Goldenrod



Chiseled Stone I and II with ColorTech Sonoran, Random Installation



Slate Blue



Slate Green




Sonoran



Tucson

NEW

BELMONT & CAST STONE CAPS with ColorTech™



Bluestone



Brownstone



Limestone*



Belmont Bluestone

LASTRA PORCELAIN TILE

Premiere Paver Collection



AXI Brown Chesnut



AXI Gray Timber



MARVEL PRO Statuario Select



BRAVE Gray

NEW



BRAVE Gypsum

NEW



BRAVE Pearl

NEW

LASTRA PORCELAIN TILE

NEW



ETIC PRO Noce Hickory

NEW



ETIC PRO Rovere Venice

NEW



SUNROCK Travertine

NEW



SUNROCK Rapolano Beige



Marvel Pro Statuario Select

By the nature of the manufacturing process, Lastra Porcelain Tiles tend to have a much wider range of colors in some styles than typically found in pavers. Please visit your EP Henry Authorized Hardscaping Distributor® to view samples and obtain color swatches depicting more range.

CLASSIC PAVER COLLECTION - AGED

Shown in Coventry® Stone I



Autumn Blend 16



Charcoal



Dakota Blend



Harvest Blend 16



Brown



Pewter Blend 16

Shown in Old Towne Cobble™

CLASSIC PAVER COLLECTION - SMOOTH



Autumn Blend 16



Charcoal



Dakota Blend



Harvest Blend 16



Brown



Pewter Blend 16

Forma Stone




Brown



Charcoal



Sand



Bristol Stone II Sedona, Random Installation; Double Forma Sand and Brown double border

Society Hill Brick Stone



Chalfont Gray



Colonial Red



Penbrook Brown

Danbury® Smooth Plank



Pewter Blend 16



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

COVENTRY WALL SYSTEMS

Coventry Wall p.87

Coventry Wall III p.88

Double Sided Coventry Wall p.98

Please refer to product pages for specific color availability.



Charcoal*

SPLIT WALL SYSTEMS



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend



Charcoal*

SPLIT WALL SYSTEMS

Diamond Pro™ p.94

Double Sided Tudor Wall p.99

Mesa® Retaining Wall p.96

Terrace Wall™ p.91

Tudor Wall p.89

Vertica Wall p.95

Please refer to product pages for specific color availability.

ACCESSORIES

EP Henry offers a complete line of cleaning and sealing products from TechniSeal® to maintain the beauty of your pavers.



POLYMERIC SAND FOR PAVER JOINTS

HP NEXTGEL™ POLYMERIC SAND

- False and wide joints
- Heavy-sloped and high-traffic areas
- High-humidity areas and pool decks

SMART SAND

- New Haze-Free technology
- For concrete paver joints from 1/8" to 1"
- Superior strength
- Driveways, patios and walkways

CLEANERS

PROFESSIONAL-GRADE OIL & GREASE REMOVER

- Dislodges deeply set petroleum-based products, motor and hydraulic oil

DIRT & GREASE CLEANER

- Removes motor oil and grease

RUST REMOVER

- Removes stains caused by steel, rusted metal objects and fertilizers

PAINT, TAR AND RUBBER REMOVER

- Dissolves paint, tar or bitumen, rubber and chewing gum

ORGANIC STAIN REMOVER

- Effectively removes moss, mildew, dead leaves, wine, blood and non-greasy food stains

PAVER RESTORER

- Removes cement and mortar jointing haze

PAVER PREP / EFFLORESCENCE CLEANER

- Dislodges efflorescence and ground-in dirt
- Prepares pavers prior to sealant application

ECO-STRIPPER

- Removes most stains, sealants and coatings without affecting the surface

SEALERS

NATURAL LOOK MATTE FINISH PENETRATING (IN)

- Preserves the natural look of pavers
- Ideal for slip-prone surfaces

CLEAR LOOK SATIN FINISH (EV)

- Preserves the original color of pavers
- Ideal for driveways, patios and walkways

COLOR BOOST MATTE FINISH PENETRATING (CB)

- Enhances the color of pavers
- Ideal for slip-prone surfaces

WET LOOK GLOSS FINISH (WLS)

- Enhances the color of pavers
- Ideal for driveways, patios and walkways

SUREFOOT I ANTI-SLIP GRIT FOR WATER-BASED PROTECTORS

- Mixes easily with Protector without changing its appearance
- Highly recommended for pool decks and sloped driveways, steps, low porosity substrates, etc.

NULOOK® TINTED PROTECTOR FOR CONCRETE PAVERS SEMI-GLOSS FINISH

- Colors pavers
- Water based
- Choice of 4 rich colors

PRODUCTS FOR CAST STONE SLABS

WET-CAST PAVER PREP

- Prepares wet-cast pavers prior to sealant application

PROTECTOR FOR WET-CAST PAVERS (WC) NATURAL LOOK MATTE FINISH — PENETRATING

- Preserves the natural look of wet-cast pavers

RG+ CONCRETE ADHESIVE

- Low-VOC formula
- Ultra-adherent on dry, wet or frozen surfaces
- Elastomeric resin-based compound — remains flexible
- Ideal for the construction of retaining walls

Polymeric Sand Haze

Polymeric Haze from the use of polymeric joint sand may appear on your concrete products if the sand was not removed from the surface of the paver properly. This does not, in any way, affect the integrity of the product or your installation. The hazing will weather away naturally with time and rain. It can be removed with a specialized cleaner. It is advised that you contact your contractor or the manufacturer of the polymeric sand used for advice on recommendations.

EP Henry accepts NO responsibility or liability for this occurrence.

STRUCTURE BOND ADHESIVE

- Super-strength hardscape foam adhesive
- Designed for use with Cast Stone Wall and other wall products
- Precise delivery - No mess, no waste
- 8 minute bond time
- Adheres to wet masonry products
- Adjustable bead size
- Performs on all construction materials
- Fireproof and waterproof
- One 24 oz. can is equivalent to five 10.5 oz. tubes



SEK SUREBOND

PAVER EDGE RESTRAINT

The purpose of Edge Restraint products is to restrain pavers' lateral motion. Without a proper Edge Restraint System, pavers are prone to shifting. EP Henry offers the Snap Edge Paver Restraint System.

ADVANTAGES OF THE SNAP EDGE RESTRAINT SYSTEM:

- One-piece system does it all; straight, curves, or even a complete radius, without waste
- An 8' piece transports easily and requires no extra connectors
- Open base design allows for grass growth along paver edge, creating a strong yet invisible edge
- Patented snap and spike-together ends for a secure connection and extra support
- Rugged injection-molded plastic ensures the strongest edge designed for vehicular and patio/walkway applications

ADHESIVE

EP Henry offers the following adhesive for wall applications:

SUREBOND PAVER BOND

- High strength structural grade adhesive
- Durable formula withstands extreme wear and tear, including heavy vehicular traffic
- Sets quickly in only 10 minutes
- Freeze-thaw stable
- Naturally shims

TENCATE MIRAFI

SEPARATION FABRIC

Mirafi® 500x geotextile fabric is recommended for use with all paver installations. Its primary purpose is to keep the base material from working its way into the soil underneath, thus reducing the possibility of settling.

This product, which costs only pennies per square foot, is an inexpensive insurance policy for your pavement.

GEOGRIDS

EP Henry offers the highest quality geogrids for SRW applications.

MIRAFI® GEOGRID

1XL 20 SQUARE YARD	4' X 45'	ROLL
2XT 33.3 SQUARE YARD	6' X 50'	
3XT 200 SQUARE YARD	12' X 150'	
5XT 200 SQUARE YARD	12' X 150'	
8XT 267 SQUARE YARD	12' X 200'	

UX MESA GRID

UX1100 121 SQUARE YARD	4.36' X 250'	ROLL
UX1400 121 SQUARE YARD	4.36' X 250'	
UX1500 96.9 SQUARE YARD	4.36' X 200'	
UX1600 96.9 SQUARE YARD	4.36' X 200'	
UX1700 96.9 SQUARE YARD	4.36' X 200'	

Please note: Mesa UX Grid must be used on all Mesa SRW applications.

STRATA

SLEEVE-IT® SYSTEM

WHEN YOUR WALL NEEDS A FENCE

The Sleeve-It® System is a patented, code-compliant, fence post anchoring system that integrates stable fence footings into the support structure of walls while the retaining wall is being constructed. This unique fence system is pre-engineered and pre-designed so that the usable real estate at the top of a retaining wall is not wasted. Using the system as part of the Segmental Retaining Wall (SRW) eliminates a 3 foot offset requirement for rails and fences that are added after wall construction, reducing specifier liability and associated costs with building-code compliance. Sleeve-It® also offers a below grade engineered design that provides superior safety in a cost-effective solution.

KERR LIGHTING

Create beauty and instill pride of ownership by adding the finishing touch of Kerr Lighting for pavers, retaining & seat walls, pillars & steps and more!

PAVER LIGHTS



LED WALL, STEP & PILLAR LIGHTING

WALLTER™ AND CORNELIUS™ LED WALL, STEP & PILLAR LIGHTING

Wallter and Cornelius Hardscape Lights by Kerr Lighting are designed to blend in with your hardscape design. They provide an unrivaled combination of energy efficiency, durability, and brilliant light quality that you've come to expect from Kerr Lighting. Featuring the latest developments in LED technology, these lights offer an evenly distributed warm-white color, long life for low maintenance costs, and continuous performance under all weather conditions.

The sleek, compact fixtures minimize their impact on your hardscape design. Made from a durable polycarbonate plastic, they will not corrode or weather like other materials. Because the fixtures are seamless, the light beam is controlled with no seepage around the edges. Use Wallter and Cornelius as your solution for a variety of outdoor settings including under wall caps, pillar caps, steps, and outside pillar corners.

SPEC MIX®

Polymer Modified Adhered Veneer Masonry Mortar

SPEC MIX PMAVM is a technologically advanced adhered veneer mortar for use in bonding manufactured stone veneer, natural thin cut stone and thin brick to a cementitious substrate. PMAVM is designed to provide:

- Excellent workability and cohesion
- High bond strength and durability
- Sag and water resistance
- Efflorescence minimization



SPEC MIX PMAVM has been rigorously tested to reduce the probability of unit "pop-offs" and contractor call-backs to repair adhered veneer failures common with standard mortars.

AUTHORIZED DISTRIBUTORS

DELAWARE

NEW CASTLE

A. H. Angerstein, Inc.
315 New Road
Wilmington, DE 19805
302-996-3500
angersteins.com

Best Materials LLC
5093 Summit Bridge Road
Middletown, DE 19709
302-378-1231
bestgardencenterde.com

SUSSEX

Parker Block Co.
30243 Millsboro Highway
Millsboro, DE 19966
302-934-9237
parkerblock.com

Trenton Block & Hardscape Supply Delaware
701 Federal Street
Milton, DE 19968
302-684-0112
mytrentonblock.com

MARYLAND

ALLEGANY

Eby's Landscape Center
12702 Ali Ghan Road NE
Cumberland, MD 21502
301-722-0043
ebylandscapecenter.com

ANNE ARUNDEL

BuilderUp Division Of Chaney Enterprises
2015 Industrial Drive
Annapolis, MD 21401
410-257-3400
builderup.com

Ernest Maier
95 Stahl Point Road
Curtis Bay, MD 21226
410-424-0954
emcoblock.com

Gomoljak Block/Ernest Maier
1841 McGuckian Street
Annapolis, MD 21401
410-263-6744
emcoblock.com

BALTIMORE

Glyndon Gardens
205 Hanover Pike
Reisterstown, MD 21136
410-833-2791
glyndongardens.com

Harting and Sons Building Supplies
2917 Hammonds Ferry Road
Baltimore, MD 21227
410-242-0260
hartingandsons.com

Wirtz & Daughters Landscape Supply
12140 Pulaski Highway
Joppa, MD 21085
410-679-6700
wirtzanddaughters.com

CALVERT

BuilderUp Division Of Chaney Enterprises
1925 Skinners Turn Road
Owings, MD 20736
410-257-3400
builderup.com

CHARLES

BuilderUp Division Of Chaney Enterprises
12130 Acton Lane
Waldorf, MD 20601
410-257-3400
builderup.com

FREDERICK

Frederick Brick Works
1731 Monocacy Boulevard
Frederick, MD 21701
301-662-1153

Irwin Stone
275 Interstate Circle
Frederick, MD 21704
301-663-6455
irwinstone.com

KENT

Gillespie & Sons
100 Dixon Drive
Chestertown, MD 21620
410-778-0900
gillespieandson.com

MONTGOMERY

Ernest Maier
14 Chestnut Street
Gaithersburg, MD 20877
800-627-8775
emcoblock.com

Jack T. Irwin Stone
601 East Gude Drive
Rockville, MD 20850
301-762-5800
irwinstone.com

PRINCE GEORGE'S

Ernest Maier
4700 Annapolis Road
Bladensburg, MD 20710
301-927-8300
emcoblock.com

TALBOT

Paul T. Ewing
9353 Ocean Gateway
Easton, MD 21601
410-822-3496

WASHINGTON

Sunny Meadows
7437 Sharpsburg Pike
Boonsboro, MD 21713
301-432-2327

NEW JERSEY

ATLANTIC

Atlantic Masonry Supply, Inc.
6422 Black Horse Pike
Egg Harbor Twp., NJ 08234
609-909-9292
atlanticmasonrynj.com

Site One Landscape Supply
716 White Horse Pike
Hammonton, NJ 08037
609-561-1777

Stoneworld Landscape Center
1333 Doughty Road
Egg Harbor Twp., NJ 08234
609-646-2200
stoneworldlandscapecenter.com

BERGEN

Bergen Brick, Stone & Tile
685 Wyckoff Avenue
Wyckoff, NJ 07481
201-891-3500
bergenbrick.com

Rocket Building Supply Co.
13 Hewson Avenue
Waldwick, NJ 07463
201-652-8884

Silver Mason Supply
39 West Forest Avenue
Englewood, NJ 07631
201-568-1140

BERGEN (CONT.)

Stone Tek
147 5th Avenue
Saddle Brook, NJ 07663
973-689-2699

BURLINGTON

Alenco Fence & Supply Co.
167B Route 70
Medford, NJ 08055
609-654-6060
alencofence.com

G. W. Lippincott, Inc.
63 Washington Street
Mt. Holly, NJ 08060
609-267-1803
lippincottsupply.net

Herman's Landscape Supply
181 Jacobstown-Cookstown Road
Wrightstown, NJ 08562
609-758-3808

Mershon Concrete
5251 US Highway 130 South
Bordentown, NJ 08505
609-298-2150
mershonconcrete.com

CAMDEN

Chick's Block Co.
10 N. Lakeview Drive
Gibbsboro, NJ 08026
856-783-1786
chicksblockco.com

McNaughton's Garden Center
351 Kresson Road
Cherry Hill, NJ 08034
856-429-6745

Wharton Landscape Supplies
2324 Columbia Avenue
Atco, NJ 08004
856-768-2505

CAPE MAY

Action Supply
1413 Old Stagecoach Road
Seaville, NJ 08230
609-390-0663
actionsupplynj.com

Beaver Supply
18 Diamond Road
Rio Grande, NJ 08242
609-886-2000

CUMBERLAND

Kennedy Concrete, Inc.
1969 South East Avenue
Vineland, NJ 08360
856-692-8650
kennedyconcretenj.com

R. E. Cummines Inc.
67 Chestnut Avenue
Vineland, NJ 08360
856-691-4040
recumminesinc.com

R&G Landscape Supply
496 Landis Avenue
Bridgeton, NJ 08302
856-451-0948
rglandscapesupply.com

ESSEX

Bella Vista Supply
800 Passaic Avenue
East Newark, NJ 07029
973-482-1818

GLOUCESTER

BF Landscape Factory
1964 North Black Horse Pike
Williamstown, NJ 08094
856-740-1445
bflandscape.com

GLOUCESTER (CONT.)

Frank J. Fazzio & Sons Inc.
458 Elwood Avenue
Pitman, NJ 08071
856-589-3760
fazzioconcrete.com

Garoppo Stone & Garden Center
1200 Harding Highway (Route 40)
Newfield, NJ 08344
856-697-4444
garoppo.com

Rock Products Inc.
1675 Crown Point Road
Thorofare, NJ 08086
856-848-7934
rockproductsinc.com

MERCER

Trenton Block & Hardscape Supply
625 Cherry Tree Lane
Lawrenceville, NJ 08648
609-396-9750
mytrentonblock.com

MIDDLESEX

Bulk Yard 35 LLC
2069 Highway 35
South Amboy, NJ 08879
732-952-3750

Gray Rock Supply Co.
64 West Railroad Avenue
Jamesburg, NJ 08831
732-521-0580
grayrocksupply.com

North Brunswick Construction Materials
795 Ridgewood Avenue
North Brunswick, NJ 08902
732-247-4989
nbcmaterials.com

MONMOUTH

Dunlop and Lisk
400 Main Street
Matawan, NJ 07747
732-566-0243
dunlopandlisk.com

V & S Landscape Supply
950 Route 33
Freehold, NJ 07728
732-780-8444
vslandscapesupply.com

MORRIS

Curley Stone Company, Inc.
228 Route 10
Randolph, NJ 07869
973-361-1668
curleystone.com

EP Henry Hardscaping Center at Roxbury
5 Howard Boulevard
Ledgewood, NJ 07852
888-31-Henry
ephenryroxbury.com

Hoffman's Supply
35 East Mill Road
Long Valley, NJ 07853
908-876-3111

OCEAN

Hammett's Garden Center
425 Route 9
Forked River, NJ 08731
609-971-0453

Le-Ed Concrete & Supply Co.
1609 Lakewood Road
Toms River, NJ 08755
732-341-4546
leedconcrete.com

Le-Ed Hardscaping Center
294 South Main Street (Route 9)
Barnegat, NJ 08005
609-607-9300
leedconcrete.com

AUTHORIZED DISTRIBUTORS

PASSAIC

Athenia Mason Supply Inc.
72 Mina Avenue
Clifton, NJ 07011
973-253-0570

CDS Nursery and Landscaping
221 Newark Pompton Turnpike
Wayne, NJ 07470
973-686-5955

SALEM

Chick's Block Co.
65 N. Greenwich Street
Alloway, NJ 08001
856-935-6101
chicksblockco.com

SOMERSET

LTD Landscaping & Nursery
460 Minebrook Road
Bernardsville, NJ 07924
908-766-4442

Stone Center of Bridgewater
831 East Main Street
Bridgewater, NJ 08807
800-827-6257

SUSSEX

Route 23 Patio & Mason Center
69 Route 23 North
North Hamburg, NJ 07419
973-875-3287

UNION

Halls Garden Center
700 Springfield Avenue
Berkley Heights, NJ 07922
908-665-0331
hallsgarden.com

NEW YORK

MONROE

Miller Brick Company
734 Ridgeway Avenue
Rochester, NY 14615
585-458-7745
millerbrick.com

NASSAU

Lakeside Mason Supply
781 Foxhurst Road
Baldwin, NY 11510
516-223-6394
lakesidemason.com

ONONDAGA

Split Rock Supply
3767 Howlett Hill Road
Syracuse, NY 13215
315-427-6522

SUFFOLK

Contractors Market
1760 Middle County Road
Ridge, NY 11961
631-205-9758

JM Troffa Hardscape Supply
70 Comsewogue Road Suite 21
East Setauket, NY 11733
631-828-1420

North Fork Bedrock LLC
265 Cox Lane
Cutchogue, NY 11935
631-734-5804

Paul's Landscaping
686 Long Island Avenue
Deer Park, NY 11729
631-242-8140
paulslandscaping.com

WESTCHESTER

Earthcon Landscape Supply
2279 Crompond Road
Cortlandt, NY 10567
914-930-7675

NORTH CAROLINA

CURRITUCK

Bennett's Creek Nursery
147 Fox Knoll Drive
Powells Point, NC 27966
252-491-8514
bcnursery.com

DURHAM

Stone Center of Carolina – Durham
6515 Highway 55 South
Durham, NC 27713
919-361-4925
www.thestonecenter.com/Durham

MECKLENBURG

Stone Center of Carolina – Charlotte
605 Towne Centre Boulevard
Pineville, NC 28134
704-936-0720
www.thestonecenter.com/Durham

WAKE

Carolina Stone Products
10312 Globe Road
Morrisville, NC 27560
919-293-1700
carolinastoneproducts.com

OHIO

JEFFERSON

Bowers Landscape Supply
425 Canton Road
Steubenville, OH 43953
740-632-74150

SUMMIT

Mock Property Services
37 S. Cleveland Avenue
Mogadore, OH 44260
330-628-9100
mockpropertyservices.com

PENNSYLVANIA

ALLEGHENY

84 Lumber (Cast Veneer Stone Only)
4950 Buttermilk Hollow Road
West Mifflin, PA 15122
412-469-9684

885 Supply LLC
1215 Lebanon Road
West Mifflin, PA 15122
412-461-5885

Dragun's Landscape Supply
4535 Peoples Road
Pittsburgh, PA 15237
412-939-3675

Dragun's Landscape Supply
2458 Rochester Road
Sewickley, PA 15143
412-635-8441

ProSource
101 Southpointe Drive
Bridgeville, PA 15017
412-221-7575

Rob Cronin Inc.
667 Route 30
Imperial, PA 15126
412-302-1341

Site One Landscape Supply
360 Bilmar Drive
Pittsburgh, PA 15205
412-928-9430

ALLEGHENY (CONT.)

T.A.R. Driveway Supplies
1299 McLaughlin Run Road
Bridgeville, PA 15017
412-221-0505

The Barn Landscape Supply
3004 Babcock Boulevard
Pittsburgh, PA 15237
412-931-7568

BERKS

Fleetwood Building Block Inc.
240 W. Main Street
Fleetwood, PA 19522
610-944-8385
fleetwoodblock.com

Hollenbach Home Center
Route 100 & County Line Road
Boyertown, PA 19512
610-367-2051

**Keystone Landscape Supply/
A.R. Adams & Son**
4 Industrial Drive
Hamburg, PA 19526
610-562-8662
aradamandson.com

Ridgewood Soils
175 Angstadt Lane
Reading, PA 19606
610-373-0990
ridgewoodsoils.com

BLAIR

Tussey Mountain Mulch Landscape Center
8599 Woodbury Pike
Hollidaysburg, PA 16648
814-696-1920
tusseymountainmulch.com

BUCKS

Eddington Supply LLC
2734 Bristol Pike
Bensalem, PA 19020
215-639-0990
eddingtonsupplyllc.com

Stone Depot
1465 Route 113
Perkasie, PA 18944
215-249-0488
stonedepotpa.com

Trenton Block & Hardscape Supply
585 W. Bristol Road
Warminster, PA 18974
215-860-8800
mytrentonblock.com

Wehrung's Lumber & Home Center
7711 Route 611
Ottsville, PA 18942
610-847-2100
wehrungs.com

BUTLER

Elite Stone LLC
1513 Perry Highway
Portersville, PA 16051
724-368-4700
elitestonellc.com

CAMBRIA

Milkie's Lawn and Garden Inc.
461 Eisenhower Boulevard
Johnstown, PA 15904
814-288-2420

Slovikosky Stone & Mulch Supply
3780 Colonel Drake Highway
Patton, PA 16668
814-674-2322

CARBON

Forest Inn Masonry Supply
6160 Interchange Road (Route 209)
Lehigh, PA 18235
610-377-5593
forestinmasonry.com

CENTRE

Bricks and Stones Supply
409 Discovery Drive
Boalsburg, PA 16827
814-364-1688
bricksandstones.com

CHESTER

Allied Landscape Supply–Brandywine
31 E. 1st Avenue
Parkesburg, PA 19365
610-857-5756
alliedlandscape.com

Main Line Concrete & Supply
1001 Boot Road
Downingtown, PA 19335
610-269-5556
mainlineconcrete.com

Woodward Landscape Supply
661 Schuylkill Road (Route 724)
Phoenixville, PA 19460
610-983-9810
woodwardlandscapesupply.com

COLUMBIA

Riverview Block, Inc.
1507 Salem Boulevard, Route 11
Berwick, PA 18603
570-752-7191
riverview-block.com

CUMBERLAND

Budding Company
308 South 18th Street
Camp Hill, PA 17011
717-737-2511
buddingco.com

Carlisle Cement Products Inc.
510 East North Street
Carlisle, PA 17013
717-243-5323

Tri-Boro Construction Supplies Inc.
1490 Ritner Highway
Carlisle, PA 17013
800-248-6590
tri-borosupplies.com

DELAWARE

Galantino Supply Co., Inc.
725 Old Marple Road
Springfield, PA 19064
610-544-2586
galantino.com

Site One Landscape Supply
5191 Concord Road
Aston, PA 19014
610-358-0220

FAYETTE

Home Warehouse Inc.
1389 Connellsville Road
Uniontown, PA 15401
724-439-6330

GREENE

84 Lumber
118 Miller Lane
Waynesburg, PA 15370
724-627-8439

INDIANA

Krevel Supply
265 Swamp Road
Clymer, PA 15728
724-254-0403
krevelsupply.com

LACKAWANNA

Bricks and Stones Supply
East Grant Street & Garfield Avenue
Olyphant, PA 18447
570-383-2406
bricksandstones.com

CONTINUED →

AUTHORIZED DISTRIBUTORS

LANCASTER

Allied Landscape Supply
5834 Old Lincoln Highway
Gap, PA 17527
717-442-4390
alliedlandscape.com

Penn Stone
190 West Ross Street
Lancaster, PA 17603
717-397-5264
patiopennstone.com

Sauder's Hardscape Supply
115 Ranck Church Road
New Holland, PA 17557
717-354-5570

LAWRENCE

Harmony Hardscape & Landscape Supply
323 Gardner Road
New Castle, PA 16101
724-714-6260
harmonyhardscape.com

LEBANON

Long Nursery, Inc.
1347 East Main Street
Palmyra, PA 17078
717-838-2931
longnursery.com

LEHIGH

Stone Haven Supply
7209 Kernsville Road
Orefield, PA 18069
610-395-3318
stonehavensupply.com

LUZERNE

Bricks and Stones Supply
140 Dilley Street
Forty Fort, PA 18704
570-288-1471
bricksandstones.com

LYCOMING

Leonard Block Company
560 Old Route US Highway 220
Jersey Shore, PA 17740
570-398-3376
leonardblock.com

MONROE

447 Corner Stone Products
2089 Paradise Trail
East Stroudsburg, PA 18301
570-476-0900

MONTGOMERY

Allied Landscape Supply
1752 Limekiln Pike
Dresher, PA 19025
215-643-9857
alliedlandscape.com

Allied Landscape Supply
200 Limerick Center Road
Limerick, PA 19468
610-495-1408
alliedlandscape.com

Norristown Brick
741 Forrest Avenue
Norristown, PA 19403
610-539-1960
norristownbrick.com

Site One Landscape Supply
100 Green Tree Road
Oaks, PA 19456
610-666-0595

NORTHAMPTON

Beth-Hanover Supply Co, Inc.
1050 Illicks Mill Road
Bethlehem, PA 18017
610-867-5840

Blue Mountain Landscape Supplies, Inc.
288 W. Moorestown Road
Wind Gap, PA 18091
610-746-6460
bluemountainlandscapingsupplies.com

The Brick Yard
1001 Nor-Bath Boulevard
Northampton, PA 18067
610-261-1100

NORTHUMBERLAND

Central Builders Supply Co.
125 Bridge Avenue
Sunbury, PA 17801
570-286-6461

Patterson Hardscape & Supply Co.
100 State Route 901
Mt. Carmel, PA 17851
570-339-4570
pattersonblockinc.com

SCHUYLKILL

Petritsch Lawns Garden Center
37 Springhouse Lane
New Ringgold, PA 17960
570-386-2824
petritschlawns.com

Pine Creek Country Gardens
1425 Long Run Road, Route 443
Friedensburg, PA 17933
570-739-1140
pinecreekcountrygardens.com

SOMERSET

Shaffer Block & Concrete Products Inc.
951 South Edgewood Avenue
Somerset, PA 15501
814-445-4414

WASHINGTON

84 Lumber
151 Poplar Drive
Coal Center, PA 15423
724-938-6102

Bedner's Farm and Greenhouse
315 Coleman Road
McDonald, PA 15057
724-926-2541

Steel Nation Environmental
1652 Route 519
Canonsburg, PA 15317
724-745-8001

WESTMORELAND

84 Lumber (Cast Veneer Stone Only)
1612 Roseytown Road
Greensburg, PA 15601
724-834-0984

Earth Elements
11340 Center Highway
Irwin, PA 15642
724-590-5921

Earth Elements
10799 Rillton-Guffey Road
Rillton, PA 15678
724-446-5296

Sevic Landscape & Supply
4749 Leechburg Road, Route 56
New Kensington, PA 15068
724-335-0736
seviclandscapeandsupply.com

YORK

Standard Concrete Products Co.
700 N. Sherman Street
York, PA 17402
717-843-8074
standardconcreteproducts.com

Tri-Boro Construction Supplies Inc.
465 Locust Street
Dallastown, PA 17313
800-632-9018
tri-borosupplies.com

VIRGINIA

ACCOMACK

T & W Block, Inc.
21075 Washington Street
Onley, VA 23418
757-787-2646
twblock.com

ALBEMARLE

Skyline Brick
3900 Seminole Trail
Charlottesville, VA 22911
434-973-0535
skylinebrick.com

GOOCHLAND

Stone Center of Richmond
2388 Lanier Road
Rockville, VA 23146
804-343-3505
stonecenterofva.com

HANOVER

Site One Landscape Supply
1102 Air Park Road
Ashland, VA 23005
804-752-7017

HENRICO

Pete Rose Inc.
9207 Old Staples Mill Road
Henrico, VA 23228
804-288-7436
peteroseinc.com

ISLE OF WIGHT

Bennett's Creek Nursery
17497 Bennis Church Blvd
Smithfield, VA 23430
757-483-1425

JAMES CITY

Bennett's Creek Nursery
1568 Penniman Road
Williamsburg, VA 23185
757-253-8714
bcnursery.com

LOUDOUN

Nova Stone
43085 Builders Lane
Ashburn, VA 20147
703-674-5660

NORFOLK CITY

Batchelder & Collins, Inc.
2305 Granby Street
Norfolk, VA 23517
757-625-2506
757brick.com

PRINCE WILLIAM

Stone Center of Northern Virginia
10405 Nokesville Road
Manassas, VA 20110
703-393-2828
stonecenterofva.com

SPOTSYLVANIA

Stone Center of Fredericksburg
8241 Jefferson Davis Highway
Fredericksburg, VA 22407
540-891-7866
stonecenterofva.com

STAFFORD

SMC Stone Mulch Center
78 Shelton Shop Road
Stafford, VA 22554
540-657-5454

SUFFOLK CITY

Batchelder & Collins, Inc.
2140 Indian Trail
Suffolk, VA 23434
757-934-2326
757brick.com

VIRGINIA BEACH CITY

Bennett's Creek Nursery
1241 Princess Anne Road
Virginia Beach, VA 23457
757-426-7000
bcnursery.com

WILLIAMSBURG

Batchelder & Collins, Inc.
197 Ewell Road
Williamsburg, VA 23188
757-220-2806
757brick.com

WEST VIRGINIA

MONONGALIA

Affordable Landscape Supplies
273 Point Marion Road
Morgantown, WV 26508
304-291-3400

Aquila Stone (Cast Veneer Stone Only)
271 Don Knotts Boulevard
Morgantown, WV 26501
877-524-2011

©2019 EP HENRY. ALL RIGHTS RESERVED.
REPRODUCTION OF ANY OF THE CONTENTS
OF THIS CATALOG IS PROHIBITED.

EP Henry Corporation Registered Trademarks include: Bristol Stone®, Contractor Select®, Coventry®, Danbury®, Duraface®, ECOCenter®, EP Henry®, EP Henry Authorized Hardscaping Contractor®, EP Henry Authorized Hardscaping Distributor®, Project Funding®, ECO Cobble®, Project Services®, Values that Endure®.

EP Henry Corporation Trademarks include: Chilton™, Chiseled Stone™, ColorTech™, Durafacing™, ECO™ Paver, English Garden Wall™, Forma Stone™, Hardscaping™, Imperial™, Inspiration to Installation™, I to I™, Marquis Wall™, Old Towne Cobble™, Rittenhouse Paver™, Society Hill Brick Stone™, Terrace Wall™, Tudor Wall™, Quality for Life™. Other brands mentioned herein are registered trademarks of their respective companies.

Policies, guarantees, warranties, and other statements are current as of the time of printing. Periodically, this content will be updated without notice and will supersede prior stated information.

Please consult ephenry.com for the latest information.


INDUSTRY EXCLUSIVE LIFETIME PRODUCT WARRANTY AND LIMITED INSTALLATION WARRANTY

Because we believe that the best warranty is one that you never use, we build quality into every product. We are so confident in our products that we offer a Lifetime Warranty on the structural integrity* of our paving stones and wall systems for residential use. At no cost to you, EP Henry will replace paving stones and wall system products whose structural integrity is found to be defective under normal use when properly installed according to EP Henry standards and guidelines (labor excluded). We also offer an industry exclusive Limited Installation Warranty on projects installed by an EP Henry Authorized Hardscaping Contractor®, referred through our Project Services team.** For complete terms and conditions of the warranty, visit ephenry.com.

*A defect in "structural integrity" means the inability of a properly installed and maintained paver or wall product to perform the function for which it was designed due to defects in material. A defect in "structural integrity" does not mean a function caused by improper installation, workmanship or efflorescence.

**Homeowners must register their project through EP Henry Project Services. Proof of purchase required.

Cast Stone Wall and Cast Veneer Stone products are covered under a separate warranty; please visit our website for details.



PRODUCT NOTES

READ PRIOR TO INSTALLING ANY PAVER OR WALL PRODUCT

If you believe there is an issue with product style, color, or quality, do not install it and please contact your distributor immediately. Save all cube tags and provide to the distributor or manufacturer's representative who comes to the job site. INSTALLATION OF PRODUCT IS DEEMED ACCEPTANCE. No claims or returns on installed product will be allowed.

EFFLORESCENCE

Efflorescence is a whitish, powder-like deposit common on concrete and masonry products which will normally disappear over time with natural weathering. According to the Interlocking Concrete Pavement Institute (ICPI), it will typically stop developing within 18-24 months. Although it may present an aesthetic concern, efflorescence will not affect the structural performance of pavers or wall systems. Efflorescence is a natural occurrence for which EP Henry accepts neither responsibility nor liability. For more information, please visit: www.icpi.org, www.ncma.org, www.masonryinstitute.org, or www.bia.org.

POLYMERIC SAND HAZE

Polymeric haze from the use of polymeric joint sand may appear on your pavers if the sand was not removed from the surface of the pavers properly. This does not in any way affect the integrity of your pavers or the installation. The haze will weather away naturally with time. If you wish to remove it with a cleaning product, it is recommended that you contact your distributor or the manufacturer of the polymeric sand used for advice and product recommendations. EP Henry accepts NO responsibility nor liability for this occurrence.

Please see p.138 for more information.

DE-ICING

While no concrete product is truly de-icing salt proof, EP Henry Pavers — due to their high strength and low absorption rates — are more resistant to de-icing salts than poured concrete, asphalt and pavers that utilize inferior materials. However, misuse of de-icing products can, over time, lead to damage. EP Henry recommends the Interlocking Concrete Pavement Institute's guidelines to limit exposure to de-icing materials. For more information visit icpi.org.

COLOR

EP Henry Hardscaping products are made from natural materials and variations in shade can be expected. Additionally, many of our colors are achieved through a random mixture of several colors and the presence of any of these colors will vary from one unit to another. It is recommended that the installer draw from multiple cubes of material during installation to disperse any color range more uniformly. The end user of the material (home or business owner) should make their selection from current physical product samples that show the range of color.

DON'T SCUFF THOSE PAVERS!

EP Henry recommends the use of a vibrating plate compactor with a protective pad to prevent surface damage to the pavers during installation. EP Henry will not be responsible for compaction scuffs or burns on pavers. **PLEASE NOTE**, some pavers and all Cast Stone slabs should not be compacted using a vibrating plate compactor.

Look for this symbol  on product pages for restrictions.



Double Sided Cast Stone Wall Aspen

NEXT STEPS

Whether you are looking to add a new front walkway to increase your curb appeal or planning an awe-inspiring outdoor living space, beginning a construction project can be a bit overwhelming at first.

We get it.

It's a big decision and you want it done right. We can help with the groundwork. In this fast-moving world of automation, sometimes you just need to talk to a live person, one-on-one. That's why we have a full-time Project Service team to take your call and answer your questions.

Give us a call.

We'd love to learn about your project. We can help you find experienced EP Henry Authorized Hardscaping Contractors® in your area so you can begin discussing design ideas and getting quotes that fit your space and budget.

We take it a step further.

Because our goal is to provide you with the best product and ensure you get the best finished project, we have experts at every level to support our distributors and contractors with Technical and Product Installation assistance.

We've got you covered.

We are so confident in our products that we offer a FREE Lifetime Warranty on the structural integrity of our paving stones and wall products for residential use. That's saying a lot for a company that began in 1903. Take advantage of our industry-exclusive Limited Installation Warranty on projects installed by an EP Henry Authorized Hardscaping Contractor, referred through our Project Services team.

Get started!

Call us at 800-44-HENRY (800-444-3679) or visit ephenry.com/contact and an EP Henry Project Services team member will help you go from inspiration to installation.

We had high expectations and standards. EP Henry not only met them but their products, distributors and staff have far exceeded them.

"I was living on the West Coast while in the process of building a home with a prominent homebuilder in Pennsylvania. During the final stages, it came time for me to choose the walkway and the landscaper suggested looking at EP Henry pavers. I emailed them for a catalog and a Project Services team member called me within one day and then offered to follow up once I received the catalog.

After discussing options with my husband, I called her back with some questions. I must say that I have not received this kind of outstanding customer service in a very long time. I found her patient, kind and extremely helpful. Being born and bred in NYC, I am not prone to gushing, but I am that impressed with the customer service that I have received. Furthermore, my husband and I have decided to choose EP Henry purely based on the care and attention that we have received from their Project Services Team."




Bristol Stone II with ColorTech Sedona, Random Installation; Forma Sand double border

Belmont with ColorTech: The Latest in Cast Stone Paver Technology

We're proud to announce the latest addition to our cast stone family of products. Belmont with ColorTech has been exclusively designed as a companion to the Cast Stone Collection, which includes both our industry-leading Cast Stone Walls and our new Cast Stone Caps. We encourage you to see the difference yourself. Ask your contractor or check out samples at any EP Henry Authorized Hardscaping Distributor®.

For more information turn to page 52



The Imperial Collection: Quality & Value

Rittenhouse, Marquis Wall & More

The Imperial Collection offers a truly exceptional value. Imperial Pavers and Walls are manufactured with the same EP Henry quality standards and lifetime warranty you'll find in all our products, and are available in a range of the most popular colors and profiles in our industry. Pick up a copy of the Imperial Catalog at your local distributor – or visit us online – to explore the full range of striking, cost-effective choices Imperial offers for your next hardscaping project.



For more information visit ephenry.com/imperial



EP HENRY®

800.44.HENRY

ephenry.com

@EPHenryUSA

